

List of 735 prioritised plant taxa of CARE-MEDIFLORA project

In situ and/or ex situ conservation actions were implemented during CARE-MEDIFLORA for 436 of the prioritised plant taxa.

Island(s) of occurrence: Balearic Islands (Ba), Corsica (Co), Sardinia (Sa), Sicily (Si), Crete (Cr), Cyprus (Cy)

Occurrence: P = present; A = alien (not native to a specific island); D = doubtful presence

Distribution type:

- ENE = Extremely Narrow Endemic (only one population)
- NE = Narrow Endemic (\leq five populations)
- RE = Regional Endemic (only one Island)
- IE = Insular Endemic (more than one island)
- W = distributed in more islands or in a wider area.

Distribution type defines the "regional responsibility" of an Island on a plant species.

Criteria:

- Red Lists (RL): plant species selected is included in the red list (the plant should be EN, CR or VU in order to justify a conservation action);
- Regional Responsibility (RR): plant species selected plays a key role for the island; the "regional responsibility" criterion is the first order of priority at local level, because it establishes a high priority to plants whose distribution is endemic to the study area (an island in our specific case).
- Habitats Directive (HD): plant species selected is listed in the Annexes II and V of the Habitat Directive.
- Wetland plant (WP): plant species selected is a wetland species or grows in wetland habitat.

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | RL | RR | HD | WP | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|--|-------------------------|----|----|----|----|----|-------------------|----|----|----|----|-----------------------------------|---|----------------|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | <i>Ex situ</i> | <i>In situ</i> |
| <i>Acer granatense</i> Boiss. | P | | | | | | | 1 | | | | Ba | Ba | |
| <i>Acer obtusatum</i> Willd. subsp. <i>aetnense</i> (Tineo ex Strobl) C. Brullo & Brullo | | P | | P | | | | 1 | | | | Si | Si | |
| <i>Achillea cretica</i> L. | | | | | P | P | | 1 | | | | Cy | Cy | |
| <i>Acinos troodi</i> (Post) Leblebici subsp. <i>troodi</i> | | | | | | P | | 1 | | | | Cy | Cy | |
| <i>Acis autumnalis</i> (L.) Sweet | P | | P | | | | | 1 | | | | Ba | Ba | |
| <i>Aconitum napellus</i> L. subsp. <i>corsicum</i> (Gáyer) W. Seitz | | P | | | | | | 1 | 1 | 1 | | Co | Co | |
| <i>Adenocarpus bivonii</i> (C. Presl) C. Presl | | | | P | | | | 1 | | | | Si | | |
| <i>Adenocarpus commutatus</i> Guss. | | | | P | | | | 1 | | | | Si | | |
| <i>Aeluropus lagopoides</i> (L.) Trin. ex Thwaites | | | P | P | P | P | | | | | 1 | Si | | |
| <i>Aethionema saxatile</i> (L.) R. Br. | | | P | P | P | | | 1 | | | | Si | Si | |
| <i>Agrimonia eupatoria</i> L. | P | P | P | P | | P | | 1 | | | | Cy | Cy | |

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | RL | RR | HD | WP | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|---|-------------------------|----|----|----|----|----|-------------------|----|----|----|----|-----------------------------------|---|---------|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | Ex situ | In situ |
| <i>Agrostis barceloi</i> L. Sáez & Rosselló | P | | | | | | ENE | 1 | 1 | | | Ba | | |
| <i>Alkanna lutea</i> Moris | | P | P | | | | W | 1 | 1 | | | Co | | |
| <i>Allium autumnale</i> P. H. Davis | | | | | | P | RE | | 1 | | | Cy | Cy | |
| <i>Allium commutatum</i> Guss. | P | P | P | P | P | | W | | 1 | | | Ba, Si | Ba, Si | |
| <i>Allium cypricum</i> Brullo, Pavone & Salmeri subsp. <i>cypricum</i> | | | | | | P | RE | | 1 | | | Cy | Cy | |
| <i>Allium ebusitanum</i> Font Quer | P | | | | | | W | | 1 | | | Ba | | |
| <i>Allium exaltatum</i> (Meikle) Brullo, Pavone, Salmeri & Venora | | | | | | P | RE | 1 | | | | Cy | Cy | |
| <i>Allium grosii</i> Font Quer | P | | | | | | NE | | 1 | 1 | | Ba | | |
| <i>Allium guttatum</i> Steven subsp. <i>guttatum</i> | | | | | | P | RE | 1 | | | | Cy | Cy | |
| <i>Allium marathasicum</i> Brullo, Pavone & Salmeri | | | | | | P | ENE | 1 | 1 | | | Cy | Cy | Cy |
| <i>Allium platakisii</i> Tzanoud. & Kypr. | | | | | P | | ENE | 1 | 1 | | | Cr | | |
| <i>Alyssum baldacii</i> Vierh. ex Nyár | | | | | P | | W | 1 | 1 | | | Cr | Cr | |
| <i>Alyssum chondrogynum</i> B. L. Burt | | | | | | P | RE | | 1 | | | Cy | | |
| <i>Alyssum cypricum</i> Nyár. | | | | | | P | W | | 1 | | | Cy | | |
| <i>Alyssum fragillimum</i> (Bald.) Rech.f. | | | | | P | | NE | 1 | 1 | | | Cr | Cr | |
| <i>Alyssum idaeum</i> Boiss. & Heldr. | | | | | P | | NE | 1 | 1 | | | Cr | | |
| <i>Alyssum lassiticum</i> Halácsy | | | | | P | | NE | 1 | 1 | | | Cr | | |
| <i>Alyssum sphacioticum</i> Boiss. & Heldr. | | | | | P | | NE | 1 | 1 | | | Cr | | |
| <i>Alyssum troodi</i> Boiss. | | | | | | P | RE | | 1 | | | Cy | Cy | |
| <i>Amelanchier ovalis</i> Medik. | P | | P | | P | | W | 1 | 1 | | | Ba | | |
| <i>Amelanchier ovalis</i> subsp. <i>embergeri</i> Favarger & Stearn | | | | P | | | W | | 1 | | | Si | | |
| <i>Ammophila arenaria</i> (L.) Link | P | P | P | P | P | P | W | 1 | | | | Cy | Cy | |
| <i>Anagyris foetida</i> L. | P | P | P | P | P | | W | | 1 | | | Si | Si | |
| <i>Anchusa cespitosa</i> Lam. | | | | | P | | NE | 1 | 1 | | | Cr | Cr | |
| <i>Anchusa crispa</i> Viv. subsp. <i>crispa</i> | | P | P | | | | IE | 1 | 1 | 1 | | Co, Sa | Co, Sa | Co |
| <i>Anchusa crispa</i> Viv. subsp. <i>maritima</i> (Vals.) Selvi & Bigazzi | | | P | | | | NE | 1 | 1 | 1 | | Sa | Sa | |
| <i>Anchusa sardoa</i> (Illario) Selvi & Bigazzi | | | P | | | | ENE | 1 | 1 | | | Sa | Sa | |
| <i>Anchusa undulata</i> L. subsp. <i>hybrida</i> (Ten.) Cout. | D | P | P | | P | P | W | 1 | 1 | | | Co | Co | |
| <i>Andrachne telephioides</i> L. | P | | | | P | P | W | 1 | 1 | | | Ba | | |

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | RL | RR | HD | WP | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|---|-------------------------|----|----|----|----|----|-------------------|----|----|----|----|-----------------------------------|---|----------------|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | <i>Ex situ</i> | <i>In situ</i> |
| <i>Androcymbium rechingeri</i> Greuter | | | | | P | | W | 1 | | 1 | | Cr | Cr | Cr |
| <i>Andryala cossyrensis</i> Guss. | | | | P | | | RE | 1 | 1 | | | Si | Si | |
| <i>Anthemis aetnensis</i> Schouw in Sprengel | | | | P | | | NE | 1 | 1 | | | Si | Si | |
| <i>Anthemis cossyrensis</i> (Guss.) Guss. | | | | P | | | NE | | 1 | | | Si | | |
| <i>Anthemis cupaniana</i> Tod. ex Nyman | | | | P | | | NE | | 1 | | | Si | Si | |
| <i>Anthemis glaberrima</i> (Rech. fil.) Greuter | | | | | P | | NE | 1 | 1 | 1 | | Cr | Cr | |
| <i>Anthemis intermedia</i> Guss. | | | | P | | | NE | | 1 | | | Si | Si | |
| <i>Anthemis peregrina</i> L. subsp. <i>peregrina</i> | | | | P | | | W | 1 | 1 | | | Si | | |
| <i>Anthemis pignattiorum</i> Guarino, Raimondo & Domina | | | | P | | | ENE | 1 | 1 | | | Si | Si | |
| <i>Anthemis secundiramea</i> Biv. | P | | P | | | | W | 1 | 1 | | | Ba | | |
| <i>Anthemis tomentosa</i> L. | | | | | | P | NE | 1 | | | | Cy | Cy | Cy |
| <i>Anthriscus caucalis</i> M. Bieb. | P | P | P | | | P | W | 1 | 1 | | | Ba | | |
| <i>Anthyllis barba-jovis</i> L. | | P | P | P | | | W | | 1 | | | Si, Co, Sa | Co, Si | |
| <i>Anthyllis barba-jovis</i> L. x <i>A. hermanniae</i> L. subsp. <i>corsica</i> Brullo & Giusso | | P | | | | | ENE | | 1 | | | Co | Co | |
| <i>Anthyllis hermanniae</i> L. subsp. <i>ichnusae</i> Brullo & Giusso | | P | P | | | | RE | | 1 | | | Sa | Sa | |
| <i>Anthyllis hystrix</i> ((Willk. ex F.Barceló) Cardona, Contandr. & E.Sierra | P | | | | | | NE | | | 1 | | Ba | Ba | |
| <i>Antirrhinum siculum</i> Mill. | | | P | P | D | | W | | 1 | | | Sa | Sa | |
| <i>Aquilegia barbaricina</i> Arrigoni & E.Nardi | | | P | | | | NE | 1 | 1 | | 1 | Sa | Sa | |
| <i>Aquilegia bernardii</i> Gren. & Godr. | | P | | | | | RE | | 1 | | 1 | Co | Co | |
| <i>Aquilegia cremnophila</i> Bacch., Brullo, Congiu, Fenu, J. Garrido & Mattana | | | P | | | | NE | 1 | 1 | | | Sa | Sa | |
| <i>Aquilegia litardierei</i> Briq. | | P | | | | | NE | | 1 | | 1 | Co | Co | |
| <i>Aquilegia nugorensis</i> Arrigoni & E.Nardi | | | P | | | | RE | 1 | 1 | | 1 | Sa | Sa | |
| <i>Arenaria bolosii</i> (Cañig.) L.Sáez & Rosselló | P | | | | | | NE | 1 | 1 | | | Ba | | |
| <i>Arenaria grandiflora</i> L. | P | P | | P | | | W | | 1 | | | Si | Si | |
| <i>Aristolochia rotunda</i> L. | P | P | D | | | | W | | 1 | | | Ba | | |
| <i>Armeria morisii</i> Boiss. | | | P | | | | NE | | 1 | | | Sa | | |
| <i>Armeria pungens</i> (Link) Hoffmanns. & Link | | P | P | | | | W | | 1 | | | Co | Co | |
| <i>Armeria sardo</i> a Spreng. subsp. <i>genargentea</i> Arrigoni | | | P | | | | NE | | 1 | | | Sa | Sa | |

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | RL | RR | HD | WP | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|---|-------------------------|----|----|----|----|----|-------------------|----|----|----|----|-----------------------------------|---|----------------|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | <i>Ex situ</i> | <i>In situ</i> |
| <i>Armeria sardoa</i> Spreng. subsp. <i>sardoa</i> | | | P | | | | RE | | 1 | | | Sa | | |
| <i>Armeria soleirolii</i> (Duby) Godr. | | P | | | | | RE | | 1 | 1 | | Co | Co | |
| <i>Armeria sulcitana</i> Arrigoni | | | P | | | | NE | | 1 | | | Sa | Sa | |
| <i>Arrhenatherum album</i> (Vahl) Clayton subsp. <i>cypricola</i> H. Scholz | | | | | | P | RE | | 1 | | | Cy | Cy | |
| <i>Artemisia caerulescens</i> L. | P | | | | | | W | | 1 | | | Ba | | |
| <i>Artemisia caerulescens</i> L. subsp. <i>densiflora</i> (Viv.) Kerguelén & Lambinon | | P | P | | | | IE | 1 | 1 | | | Co | | |
| <i>Artemisia campestris</i> L. subsp. <i>variabilis</i> (Ten.) Greuter | | | P | P | | | W | | 1 | | | Sa | Sa | |
| <i>Artemisia inculta</i> Delile | | | | | P | | W | 1 | | | | Cr | Cr | |
| <i>Arthrocnemum macrostachyum</i> (Moric.) C. Koch | P | P | P | P | P | P | W | | | | 1 | Si | | |
| <i>Arum concinnatum</i> Schott | | | | | P | P | IE | 1 | | | | Cy | | |
| <i>Arum cylindraceum</i> Gasp. subsp. <i>pitsyllianum</i> Hadjik., Hand & G. Mans. | | | | | | P | NE | 1 | 1 | | | Cy | | |
| <i>Arum cyrenaicum</i> Hruby | | | | | P | | W | 1 | | | | Cr | | |
| <i>Arum purpureospathum</i> P.C. Boyce | | | | | P | | IE | 1 | 1 | | | Cr | Cr | |
| <i>Arum rupicola</i> Boiss. | | | | | | P | W | 1 | | | | Cy | Cy | |
| <i>Arum sintenisii</i> (Engl.) P. C. Boyce | | | | | | P | NE | 1 | 1 | | | Cy | Cy | Cy |
| <i>Asparagus aetnensis</i> Tornab. | | P | | P | | | ENE | 1 | 1 | | | Si | | |
| <i>Asperula pauiflora</i> Font Quer | P | | | | | | W | | 1 | | | Ba | | |
| <i>Asphodelus cerasiferus</i> J. Gay | P | P | D | | | | W | | 1 | | | Ba | | |
| <i>Aster tripolium</i> L. subsp. <i>pannonicus</i> (Jacq.) Soó | P | | | | | | W | | 1 | | 1 | Ba | Ba | |
| <i>Astragalus alopecurus</i> Pall. | | P | | | | | W | 1 | 1 | 1 | | Co | | Co |
| <i>Astragalus balearicus</i> Chater | P | | | | | | IE | | 1 | | | Ba | Ba | |
| <i>Astragalus creticus</i> Lam. subsp. <i>minoicus</i> Brullo & Giusso | | | | | P | | ENE | | 1 | | | Cr | Cr | |
| <i>Astragalus genargenteus</i> Moris | | | P | | | | ENE | | 1 | | | Sa | Sa | |
| <i>Astragalus gennarii</i> Bacch. & Brullo | | | P | | | | ENE | | 1 | | | Sa | Sa | Sa |
| <i>Astragalus greuteri</i> Bacch. & Brullo | | P | | | | | RE | | 1 | | | Co | Co | |
| <i>Astragalus huetii</i> Bunge | | | | P | | | NE | | 1 | | | Si | Si | |
| <i>Astragalus idaeus</i> Bunge | | | | | P | | ENE | 1 | 1 | | | Cr | Cr | |
| <i>Astragalus kamarinensis</i> C. Brullo, Brullo, Giusso, Miniss. & Sciandr. | | | | P | | | ENE | 1 | 1 | | | Si | Si | |

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | RL | RR | HD | WP | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|---|-------------------------|----|----|----|----|----|-------------------|----|----|----|----|-----------------------------------|---|----------------|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | <i>Ex situ</i> | <i>In situ</i> |
| <i>Astragalus macrocarpus</i> DC. subsp. <i>lefkarensis</i> Kirchhoff & Meikle | | | | | | P | RE | 1 | 1 | 1 | | Cy | Cy | |
| <i>Astragalus nebrodensis</i> (Guss.) Strobl | | | | P | | | NE | | 1 | | | Si | Si | |
| <i>Astragalus raphaelis</i> G. Ferro | | | | P | | | NE | 1 | 1 | | | Si | Si | Si |
| <i>Astragalus siculus</i> Biv. | | | | P | | | NE | | 1 | | | Si | Si | |
| <i>Astragalus suberosus</i> Banks & Sol. | | | | | | P | W | 1 | | | | Cy | Cy | Cy |
| <i>Astragalus terraccianoii</i> Valsecchi | | P | P | | | | IE | | 1 | | | Co | | |
| <i>Astragalus thermensis</i> Vals. | | | P | | | | ENE | | 1 | | | Sa | | |
| <i>Athamanta sicula</i> L. | | | | P | | | W | | 1 | | | Si | Si | |
| <i>Aubrieta deltoidea</i> (L.) DC. subsp. <i>sicula</i> (Strobl) Phitos | | | | P | P | | NE | | 1 | | | Si | Si | |
| <i>Barnardia numidica</i> (Poir.) Speta | P | | | | | | W | | 1 | | | Ba | | |
| <i>Bellevalia brevipedicellata</i> Turrill | | | | | P | | NE | 1 | 1 | | | Cr | Cr | Cr |
| <i>Bellevalia juliana</i> Bareka, Turland & Kamari | | | | | P | | NE | | 1 | | | Cr | Cr | |
| <i>Bellevalia romana</i> (L.) Rchb. | | P | P | D | | | W | 1 | 1 | | 1 | Co | Co | |
| <i>Berberis vulgaris</i> L. subsp. <i>aetnensis</i> (C.Presl) Rouy & Foucaud | | P | P | P | | | W | | 1 | | | Sa, Si | Sa, Si | |
| <i>Betula aetnensis</i> Rafin. | | | | P | | | ENE | 1 | 1 | | | Si | Si | Si |
| <i>Biarum dispar</i> (Schott) Talavera | | | P | | | | W | | 1 | | | Sa | Sa | |
| <i>Biscutella ebusitana</i> Rosselló, N. Torres & L. Sáez | P | | | | | | NE | | 1 | | | Ba | | |
| <i>Biscutella rotgesii</i> Foucaud | | P | | | | | RE | | 1 | 1 | | Co | Co | |
| <i>Bituminaria basaltica</i> Miniss., Brullo C., Brullo, Giusso & Sciandr. | | | | P | | | ENE | 1 | 1 | | | Si | | |
| <i>Bituminaria bituminosa</i> (L.) C.H. Stirton | P | P | P | P | P | P | W | | 1 | | | Si | | |
| <i>Bituminaria morisiana</i> (Pignatti & Metlesics) Greuter | | | P | | | | W | | 1 | | | Sa | Sa | |
| <i>Bolanthus creutzburgii</i> Greuter subsp. <i>zaffranii</i> Phitos, Turland & Bergmeier | | | | | P | | ENE | 1 | 1 | | | Cr | Cr | Cr |
| <i>Borago morisiana</i> Bigazzi & Ricceri | | | P | | | | NE | 1 | 1 | | 1 | Sa | | |
| <i>Borago pygmaea</i> (DC.) Chater & Greuter | | P | P | | | | IE | 1 | 1 | | 1 | Sa | | |
| <i>Botrychium simplex</i> E. Hitchc. | | P | | | | | W | 1 | 1 | 1 | 1 | Co | | |
| <i>Brachypodium sylvaticum</i> (Huds.) P.Beauv. | P | P | P | P | P | | W | | 1 | | | Si | Si | |

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | RL | RR | HD | WP | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|--|-------------------------|----|----|----|----|----|-------------------|----|----|----|----|-----------------------------------|---|----------------|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | <i>Ex situ</i> | <i>In situ</i> |
| <i>Brassica bioniana</i> Mazzola & Raimondo | | | | P | | | NE | 1 | 1 | | | Si | | |
| <i>Brassica drepanensis</i> (Caruel) Damanti | | | | P | | | ENE | 1 | 1 | | | Si | | |
| <i>Brassica hilarionis</i> Post | | | | | | P | RE | 1 | | 1 | | Cy | Cy | |
| <i>Brassica incana</i> Ten. | | | | P | | | W | | 1 | | | Si | Si | |
| <i>Brassica insularis</i> Moris | | P | P | P | | | IE | | 1 | 1 | | Co, Sa | Co, Sa | |
| <i>Brassica macrocarpa</i> Guss. | | | | P | | | ENE | 1 | 1 | 1 | | Si | | |
| <i>Brassica raimondoi</i> Sciandr., C. Brullo, Brullo, Giusso, Miniss. & Salmeri | | | | P | | | ENE | 1 | 1 | | | Si | | |
| <i>Brassica rupestris</i> Rafin subsp. <i>hispida</i> Raimondo & Mazzola | | | | P | | | ENE | 1 | 1 | | | Si | | |
| <i>Brassica tinei</i> Lojac. | | | | P | | | NE | 1 | 1 | | | Si | | |
| <i>Brassica trichocarpa</i> Brullo C., Brullo, Giusso & Ilardi | | | | P | | | ENE | 1 | 1 | | | Si | | |
| <i>Brassica tyrrhena</i> Giotta, Piccitto & Arrigoni | | | P | | | | NE | | 1 | | | Sa | | |
| <i>Brassica villosa</i> Biv. subsp. <i>brevisiliqua</i> (Raimondo & Mazzola) Raimondo & Geraci | | | | P | | | ENE | 1 | 1 | | | Si | Si | |
| <i>Brassica villosa</i> Biv. subsp. <i>villosa</i> | | | | P | | | ENE | 1 | 1 | | | Si | | |
| <i>Brimeura duvignaudii</i> (L.Llorens) Rosselló, Mus & Mayol | P | | | | | | NE | 1 | 1 | | | Ba | | |
| <i>Briza maxima</i> L. | P | P | P | P | P | P | W | | 1 | | | Si | Si | |
| <i>Bunium corydalinum</i> DC. subsp. <i>corydalinum</i> | | P | P | | | | IE | | 1 | | | Sa | | |
| <i>Bupleurum fruticosum</i> L. | | P | P | P | | | W | | 1 | | | Sa, Si | Si | |
| <i>Bupleurum gaudianum</i> Snogerup | | | | | P | | NE | 1 | 1 | | | Cr | Cr | |
| <i>Bupleurum rigidum</i> L. | P | | | | | | W | | 1 | | | Ba | | |
| <i>Buxus balearica</i> Lam. | P | | P | | | | W | | 1 | | | Sa, Ba | Ba | |
| <i>Cachrys ferulacea</i> (L.) Calest. | | | | P | | | W | | 1 | | | Si | | |
| <i>Calamintha cretica</i> (L.) Lam. | | | | | P | | RE | 1 | 1 | | | Cr | Cr | |
| <i>Calicotome spinosa</i> (L.) Link | P | P | P | P | | | W | | 1 | | | Sa | Sa | |
| <i>Callitriche pulchra</i> Schotsman | | | | | P | P | W | 1 | | | 1 | Cr | Cr | |
| <i>Campanula fastigiata</i> Schult. | | | | | | P | RE | 1 | | | | Cy | | |
| <i>Campanula forsythii</i> (Arcangeli) Podlech | | | P | | | | NE | | 1 | | | Sa | Sa | |
| <i>Campanula hierapetrae</i> Rech. fil. | | | | | P | | NE | 1 | 1 | | | Cr | | |
| <i>Campanula laciniata</i> L. | | | | | P | | IE | 1 | | | | Cr | Cr | |
| <i>Campanula podocarpa</i> Boiss. | | | | | | P | RE | 1 | | | | Cy | Cy | |
| <i>Campanula saxatilis</i> L. subsp. <i>saxatilis</i> | | | | | P | | RE | 1 | 1 | | | Cr | Cr | |

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | RL | RR | HD | WP | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|--|-------------------------|----|----|----|----|----|-------------------|----|----|----|----|-----------------------------------|---|----------------|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | <i>Ex situ</i> | <i>In situ</i> |
| <i>Carduus bourgaeanus</i> Sch.Bip. ex Boiss. & Reut. | P | | | | | | W | | 1 | | | Ba | | |
| <i>Carex extensa</i> Good. | | P | P | P | P | P | W | | 1 | | 1 | Si | | |
| <i>Carlina macrocephala</i> Moris subsp. <i>macrocephala</i> | | P | P | | | | IE | | 1 | | | Sa | Sa | |
| <i>Caroxylon agrigentinum</i> (Guss.) C. Brullo, Brullo, Giusso, Guarino & Iamónico | | | | | P | | NE | 1 | 1 | | | Si | | |
| <i>Carthamus balearicus</i> (J.J.Rodr.) Greuter | P | | | | | | NE | | 1 | 1 | | Ba | | |
| <i>Carthamus caeruleus</i> L. | P | P | P | P | P | P | W | 1 | | | | Cy | | |
| <i>Carthamus dianius</i> (Webb) Coincy | P | | | | | | ENE | 1 | 1 | | | Ba | | |
| <i>Castroviejoa frigida</i> (Labill.) Galbany, L.Sáez & Benedí | | P | D | | | | RE | | 1 | | | Co | Co | |
| <i>Celtis aetnensis</i> (Tornab.) Strobl | | | | | P | | NE | 1 | 1 | | | Si | Si | |
| <i>Celtis asperrima</i> Lojac. | | | | | P | | NE | 1 | 1 | | | Si | Si | |
| <i>Centaurea argentea</i> L. subsp. <i>argentea</i> | | | | | | P | IE | 1 | | | | Cr | | |
| <i>Centaurea argentea</i> L. subsp. <i>chionantha</i> (Turland & L. Chilton) Greuter | | | | | | P | NE | 1 | 1 | | | Cr | Cr | |
| <i>Centaurea baldaccii</i> Degen ex Bald. | | | | | | P | NE | 1 | 1 | | | Cr | Cr | |
| <i>Centaurea busambarensis</i> Guss. | | | | | P | | ENE | | 1 | | | Si | | |
| <i>Centaurea cyprensis</i> (Holub) T. Georgiadis | | | | | | P | RE | | 1 | | | Cy | | |
| <i>Centaurea deusta</i> Ten. subsp. <i>divaricata</i> (Guss.) Matthäs & Pignatti | | | | | | P | ENE | 1 | 1 | | | Si | | |
| <i>Centaurea giardinae</i> Raimondo & Spadaro | | | | | | P | NE | 1 | 1 | | | Si | Si | |
| <i>Centaurea lancifolia</i> Spreng. | | | | | | P | NE | 1 | 1 | 1 | | Cr | | |
| <i>Centaurea magistrorum</i> Arrigoni & Camarda | | | | | P | | ENE | 1 | 1 | | | Sa | Sa | Sa |
| <i>Centaurea panormitana</i> Lojac. | | | | | | P | NE | 1 | 1 | | | Si | | |
| <i>Centaurea parlatoris</i> Heldr. subsp. <i>parlatoris</i> | | | | | | P | NE | 1 | 1 | | | Si | Si | |
| <i>Centaurea poculatoris</i> Greuter | | | | | | P | NE | 1 | 1 | | | Cr | Cr | |
| <i>Centaurea pumilio</i> L. | | | | | | P | W | 1 | | | | Cr | Cr | |
| <i>Centaurea sphaerocephala</i> L. | | P | P | P | | | W | | 1 | | | Si | Si | |
| <i>Centaurea todaroi</i> Lacaita | | | | | | P | ENE | | 1 | | | Si | | |
| <i>Centaurea tyrrhena</i> C. Brullo, Brullo & Giusso | | | | | | P | NE | 1 | 1 | | | Si | | |
| <i>Centranthus amazonum</i> Fridl. & A.Raynal | | | | | | P | NE | 1 | 1 | 1 | | Sa | Sa | Sa |

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | RL | RR | HD | WP | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|---|-------------------------|----|----|----|----|----|-------------------|----|----|----|----|-----------------------------------|---|----------------|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | <i>Ex situ</i> | <i>In situ</i> |
| <i>Centranthus trinervis</i> (Viv.) Bég. | | P | | | | | ENE | 1 | 1 | 1 | | Co | Co | Co |
| <i>Cephalaria bigazzii</i> Bacch., Brullo & Giusso | | | P | | | | ENE | | 1 | | | Sa | | |
| <i>Cephalaria ebusitana</i> (O. Bolòs & Vigo) Bacch., Brullo & Giusso | P | | | | | | IE | 1 | 1 | | | Ba | | |
| <i>Cerastium supramontanum</i> Arrigoni | | | P | | | | NE | | 1 | | | Sa | Sa | |
| <i>Cerastium tomentosum</i> L. | | P | | P | | | W | | 1 | | | Si | Si | |
| <i>Cerinthe major</i> L. subsp. <i>gymnandra</i> (Gasp.) Rouy | | P | | | | | W | | 1 | | | Co | | |
| <i>Cerinthe major</i> L. subsp. <i>major</i> | | P | P | D | P | | W | | 1 | | | Co | Co | |
| <i>Cerinthe tenuiflora</i> Bertol. | | P | | | | | RE | | 1 | | 1 | Co | Co | |
| <i>Chaenorhinum organifolium</i> (L.) Kostel. subsp. <i>rodriguezii</i> (Porta) Güemes | P | | | | | | NE | | 1 | | | Ba | | |
| <i>Chaenorhinum rubrifolium</i> (DC.) Fourr. | P | | | P | P | P | W | 1 | | | | Cy | Cy | |
| <i>Chaenorhinum rubrifolium</i> (DC.) Fourr. subsp. <i>formenterae</i> (Gand.) R.Fern. | P | | | | | | NE | | 1 | | | Ba | | |
| <i>Chaerophyllum creticum</i> Boiss. & Heldr. | | | | | P | | NE | 1 | 1 | | | Cr | Cr | Cr |
| <i>Chamaerops humilis</i> L. | P | | P | | | | W | | 1 | | | Ba | Ba | |
| <i>Charybdis glaucophylla</i> Bacch., Brullo, D'Emérico, Pontec. & Salmeri | | | P | | | | NE | | 1 | | | Sa | | |
| <i>Cistus albidus</i> L. | P | A | P | | | | W | | 1 | | | Sa | Sa | |
| <i>Cistus clusii</i> Dunal | P | | | P | | | W | 1 | 1 | | | Si, Ba | Ba | |
| <i>Cistus creticus</i> L. | P | P | P | | P | P | W | | 1 | | | Ba | Ba | |
| <i>Cistus crispus</i> L. | | | | P | | | W | 1 | 1 | | | Si | | |
| <i>Cistus salviifolius</i> L. | P | P | P | P | P | P | W | | 1 | | | Si | Si | |
| <i>Cladium mariscus</i> (L.) Pohl | P | P | P | P | | P | W | | 1 | | 1 | Ba, Si | Ba | |
| <i>Clinopodium rouyanum</i> (Briq.) Govaerts | P | | | | | | NE | | 1 | | | Ba | | |
| <i>Clinopodium sandalioticum</i> (Bacch. & Brullo) Bacch. & Brullo ex Peruzzi & F.Conti | | | P | | | | NE | | 1 | | | Sa | | |
| <i>Clinopodium sardoum</i> (Asch. & Levier) Peruzzi & F.Conti | | | P | | | | NE | | 1 | | | Sa | Sa | |
| <i>Colchicum lusitanum</i> Brot. | P | | P | | | | W | 1 | 1 | | | Ba | | |
| <i>Colutea arborescens</i> L. | P | P | P | P | | | W | | 1 | | | Sa | | |
| <i>Colymbada tauromenitana</i> (Guss.) Holub | | | | P | | | NE | 1 | 1 | | | Si | Si | |
| <i>Convolvulus valentinus</i> Cav. subsp. <i>suffruticosus</i> (Desf.) Maire | P | | | | | | W | 1 | 1 | | | Ba | Ba | |

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | RL | RR | HD | WP | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|--|-------------------------|----|----|----|----|----|-------------------|----|----|----|----|-----------------------------------|---|----------------|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | <i>Ex situ</i> | <i>In situ</i> |
| <i>Cornus sanguinea</i> L. | | P | P | P | | | W | | 1 | | 1 | Sa | Sa | |
| <i>Corydalis rutifolia</i> (Sm.) DC. | | | | | | P | RE | | 1 | | | Cy | | |
| <i>Cotoneaster nebrodensis</i> (Guss.) K. Koch | | | | P | | | NE | | 1 | | | Si | Si | |
| <i>Crambe hispanica</i> L. | | | P | P | | P | W | 1 | | | | Cy | Cy | |
| <i>Crataegus orientalis</i> M. Bieb subsp. <i>orientalis</i> | | | | P | P | P | W | | 1 | | | Si | Si | |
| <i>Crepis auriculifolia</i> Sieber ex Spreng. | | | | | P | | RE | 1 | 1 | | | Cr | Cr | |
| <i>Crepis bioniana</i> (Reichenb.) Soldano & F. Conti | | | | P | | | NE | | 1 | | | Si | | |
| <i>Crepis pusilla</i> (Sommier) Merxm. | P | | | | P | P | IE | 1 | | 1 | | Ba, Cy | Cy | |
| <i>Crepis sibthorpiana</i> Boiss. & Heldr. | | | | | P | | RE | 1 | 1 | | | Cr | Cr | |
| <i>Cressa cretica</i> L. | P | P | P | | P | P | W | | 1 | | | Ba | | |
| <i>Crithmum maritimum</i> L. | P | P | P | P | P | P | W | | 1 | | | Ba | Ba | |
| <i>Crocus cyprius</i> Boiss. & Kotschy | | | | | | P | RE | 1 | 1 | 1 | | Cy | Cy | |
| <i>Crocus hartmannianus</i> Holmboe | | | | | | P | RE | 1 | 1 | 1 | | Cy | Cy | |
| <i>Crucianella maritima</i> L. | P | P | P | P | | | W | | 1 | | | Si, Sa, Ba | Ba, Sa | |
| <i>Crucianella rupestris</i> Guss. | | | | P | | | NE | 1 | 1 | | | Si | | |
| <i>Crypsis hadjikyriakou</i> Raus & H.Scholz | | | | | | P | ENE | 1 | 1 | | | Cy | Cy | Cy |
| <i>Cyanus segetum</i> Hill | | P | | | | | W | | 1 | | | Co | Co | |
| <i>Cyclamen graecum</i> Link subsp. <i>anatolicum</i> Letsw. | | | | | P | P | IE | 1 | | | | Cy | Cy | |
| <i>Cymbalaria fragilis</i> (Rodr.) A.Chev. | P | | | | | | NE | 1 | 1 | | | Ba | | |
| <i>Cymbalaria longipes</i> (Boiss. & Heldr.) Chev. | | | | | P | P | IE | 1 | | | | Cy | | |
| <i>Cynanchum acutum</i> L. | P | | P | P | P | P | W | 1 | | | | Cy | Cy | |
| <i>Cynara cyrenaica</i> Maire & Weiller | | | | | P | | W | 1 | | | | Cr | Cr | |
| <i>Cynara makrisii</i> Hand & Hadjik. | | | | | | P | ENE | 1 | 1 | | | Cy | Cy | |
| <i>Cynoglossum apenninum</i> L. | | | | P | | | W | | 1 | | | Si | | |
| <i>Cynoglossum barbaricum</i> Arrigoni & Selvi | | | P | | | | NE | | 1 | | 1 | Sa | | |
| <i>Cynoglossum troodi</i> H. Lindb. | | | | | | P | RE | 1 | | | | Cy | Cy | |
| <i>Cytisus fontanesii</i> Ball | P | | | | | | W | | 1 | | | Ba | | |
| <i>Cytisus villosus</i> Pourr. | | P | P | P | | | W | | 1 | | | Si | Si | |
| <i>Dactylorhiza elata</i> (Poir.) Soó subsp. <i>sesquipedalis</i> (Willd.) Soó | | D | P | | | | ENE | 1 | 1 | | 1 | Sa | | |
| <i>Damasonium bourgaei</i> Coss. | P | | P | P | | | W | | 1 | | 1 | Ba, Si | Ba, Si | |

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | | | | | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|--|-------------------------|----|----|----|----|----|-------------------|---|---|---|---|-----------------------------------|---|----|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | RL | RR |
| <i>Daphne laureola</i> L. | | P | P | P | | | W | | 1 | | | Sa, Si | Si | |
| <i>Daphne oleoides</i> Schreb. | | P | P | P | P | D | W | | 1 | | | Sa | | |
| <i>Daphne rodriguezii</i> Teixidor | P | | | | | | NE | | 1 | 1 | | Ba | | |
| <i>Datisca cannabina</i> L. | | | | | P | P | W | 1 | | | 1 | Cr, Cy | Cr, Cy | Cr |
| <i>Delphinium caseyi</i> B. L. Burt | | | | | | P | NE | 1 | | 1 | | Cy | | |
| <i>Delphinium pentagynum</i> Lam. | P | | | | | | W | 1 | 1 | | | Ba | | |
| <i>Delphinium pictum</i> Willd. | P | P | P | | | | W | | 1 | | | Sa | Sa | |
| <i>Desmazeria pignattii</i> Brullo & Pavone | | | P | P | | | NE | | 1 | | | Si | | |
| <i>Desmazeria sicula</i> (Jacq.) Dumort. | | | P | P | | | W | | 1 | | | Si | | |
| <i>Dianthus arrostii</i> C. Presl | | | | P | | | NE | | 1 | | | Si | | |
| <i>Dianthus gasparrinii</i> Guss. | | | | P | | | NE | 1 | 1 | | | Si | | |
| <i>Dianthus genargentus</i> Bacch., Brullo, Casti & Giusso | | | P | | | | NE | | 1 | | | Sa | Sa | |
| <i>Dianthus gyspergerae</i> Rouy | | P | | | | | RE | 1 | 1 | | | Co | Co | |
| <i>Dianthus juniperinus</i> Sm. subsp. <i>kavusicus</i> Turland | | | | | P | | NE | 1 | 1 | | | Cr | Cr | |
| <i>Dianthus morisianus</i> Vals. | | | P | | | | ENE | 1 | 1 | | | Sa | Sa | Sa |
| <i>Dianthus mossanus</i> Bacch. & Brullo | | | P | | | | NE | | 1 | | | Sa | | |
| <i>Dianthus rupicola</i> Biv. subsp. <i>aeolicus</i> (Lojac.) Brullo & Minissale | | | | P | | | NE | | 1 | 1 | | Si | | |
| <i>Dianthus rupicola</i> Biv. subsp. <i>rupicola</i> | | | | P | | | W | | 1 | 1 | | Si, Ba | Si | Si |
| <i>Dianthus siculus</i> C. Presl | | | | P | | | NE | 1 | 1 | | | Si | Si | |
| <i>Dianthus tripunctatus</i> Sm. | | | | | P | P | IE | 1 | | | | Cy | Cy | |
| <i>Dianthus xylorrhizus</i> Boiss. & Heldr. | | | | | P | | NE | 1 | 1 | | | Cr | Cr | |
| <i>Dichoropetalum kyriakae</i> (Hadjik. & Alziar) Hand & Hadjik. | | | | | | P | ENE | 1 | 1 | | | Cy | Cy | Cy |
| <i>Digitalis minor</i> L. | P | | | | | | IE | | 1 | | | Ba | Ba | |
| <i>Digitalis minor</i> L. var. <i>palaui</i> (Garcias Font & Marcos) Hinz & Rosselló | P | | | | | | IE | | 1 | | | Ba | | |
| <i>Digitalis purpurea</i> L. var. <i>gyspergerae</i> (Rouy) Fiori | | P | P | | | | IE | | 1 | | | Sa | Sa | |
| <i>Dioscorea communis</i> (L.) Caddick & Wilkin | P | P | P | P | P | P | W | | 1 | | | Si | Si | |
| <i>Diplotaxis crassifolia</i> (Rafin.) DC. | | | | P | | | NE | | 1 | | | Si | Si | |
| <i>Diplotaxis ibicensis</i> (Pau) Gómez Campo | P | | | | | | W | | 1 | 1 | | Ba | Ba | |
| <i>Dipsacus ferox</i> Loisel. | | P | P | | | | IE | | 1 | | | Sa | Sa | |

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | RL | RR | HD | WP | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|--|-------------------------|----|----|----|----|----|-------------------|----|----|----|----|-----------------------------------|---|----------------|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | <i>Ex situ</i> | <i>In situ</i> |
| <i>Doronicum corsicum</i> (Loisel.) Poir. | | P | | | | | RE | | 1 | | 1 | Co | Co | |
| <i>Dorycnium fulgurans</i> (Porta) Lassen | P | | | | | | NE | | 1 | | | Ba | Ba | Ba |
| <i>Draba loiseleurii</i> Boiss. | | P | | | | | RE | | 1 | | | Co | | |
| <i>Drimia fugax</i> (Moris) Stearn | P | P | P | | | | W | | 1 | | | Ba | | |
| <i>Dryopteris pallida</i> (Bory) Maire & Petitm. subsp. <i>pallida</i> | P | P | P | D | P | P | W | 1 | 1 | | | Co | | |
| <i>Echinophora spinosa</i> L. | P | P | P | | | | W | | 1 | | | Ba | | |
| <i>Echium anchusoides</i> Bacch., Brullo & Selvi | | | P | | | | RE | | 1 | | | Sa | | |
| <i>Echium italicum</i> L. subsp. <i>siculum</i> (Lacaita) Greuter & Burdet | | P | | P | | | NE | | 1 | | | Si | | |
| <i>Echium judaeum</i> Lacaita | | | | | | P | RE | 1 | | | | Cy | Cy | |
| <i>Edraianthus graminifolius</i> (L.) DC. subsp. <i>siculus</i> (Strobl) Lakušić ex Greuter & Burdet | | | | P | | | NE | | 1 | | | Si | | |
| <i>Elaeoselinum asclepium</i> (L.) Berrol. subsp. <i>meoides</i> (Desf.) Maire | | P | P | | | | IE | 1 | 1 | | | Co | | |
| <i>Elaeoselinum asclepium</i> (L.) Bertol | P | | | | | | W | | 1 | | | Ba | | |
| <i>Elatine alsinastrum</i> L. | | | P | P | P | | W | | 1 | | 1 | Cr, Si | Si | |
| <i>Elatine brochonii</i> Clavaud | D | P | | D | | D | W | | 1 | | 1 | Co | | Co |
| <i>Elatine macropoda</i> Guss. | P | P | P | | | P | W | | 1 | | 1 | Ba | Ba | |
| <i>Eleocharis acicularis</i> (L.) Roem. & Schult | P | | | | | | W | | 1 | | 1 | Ba | | |
| <i>Elytrigia corsica</i> (Hack.) Holub; <i>Elymus corsicus</i> (Hackel) Kerguelén | | P | P | | | | IE | | 1 | | | Co, Sa | Co, Sa | |
| <i>Elytrigia juncea</i> (L.) Nevski | P | P | P | P | | P | W | | 1 | | | Si | | |
| <i>Elytrigia scirpea</i> (C. Presl) Holub | | P | | P | | | W | | 1 | | 1 | Si | | |
| <i>Enarthrocarpus arcuatus</i> Labill. | | | | | P | P | IE | 1 | | | | Cy | Cy | |
| <i>Ephedra fragilis</i> Desf. | P | | | P | | P | W | | 1 | | | Si | Si | |
| <i>Epipactis cretica</i> Kalopissis & Robatsch | | | | | P | | RE | 1 | 1 | | 1 | Cr | | |
| <i>Erica manipuliflora</i> Salisb. | | | | P | P | P | W | 1 | | | | Cy | Cy | |
| <i>Erica sicula</i> Guss. subsp. <i>libanotica</i> (Barb.-Boiss. & Barbey) P. F. Stevens | | | | | | P | W | | 1 | | | Cy | | |
| <i>Erigeron paolii</i> Gamisans | | P | | | | | RE | | 1 | | | Co | | |
| <i>Erodium corsicum</i> Léman | | P | P | | | | IE | | 1 | | | Co | Co | |
| <i>Erodium crassifolium</i> L'Hér. subsp. <i>crassifolium</i> | | | | | P | P | IE | 1 | | | | Cy | | |

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | RL | RR | HD | WP | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|---|-------------------------|----|----|----|----|----|-------------------|----|----|----|----|-----------------------------------|---|----------------|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | <i>Ex situ</i> | <i>In situ</i> |
| <i>Erodium maritimum</i> L'Hér. ex Aiton | P | | P | | | | W | 1 | 1 | | | Ba | | |
| <i>Erucastrum virgatum</i> (J. & C.Presl) C. Presl | | | | P | | | W | | 1 | | | Si | Si | |
| <i>Eryngium pusillum</i> L. | | P | P | D | | | W | 1 | 1 | | 1 | Co | Co | |
| <i>Eryngium ternatum</i> Poir. | | | | | P | | RE | 1 | 1 | | | Cr | Cr | |
| <i>Erysimum bonannianum</i> C. Presl | | | | P | | | NE | | 1 | | | Si | | |
| <i>Erysimum brulloi</i> G. Ferro | | | | P | | | ENE | 1 | 1 | | | Si | Si | |
| <i>Erysimum etnense</i> Jordan | | | | P | | | NE | 1 | 1 | | | Si | Si | |
| <i>Erysimum kykkoticum</i> Alziar & Hadjik. | | | | | | P | ENE | 1 | 1 | | | Cy | | |
| <i>Eupatorium cannabinum</i> L. subsp. <i>corsicum</i> (Loisel.) P. Fourn. | | P | P | | | | W | | 1 | | | Sa | | |
| <i>Euphorbia aleppica</i> L. | | | | P | | P | W | 1 | | | | Cy | Cy | |
| <i>Euphorbia bivonae</i> Steud. | | | | P | | | NE | 1 | 1 | | | Si | Si | |
| <i>Euphorbia cassia</i> Boiss. subsp. <i>rigoi</i> (Freyn) Holmboe | | | | | | P | RE | | 1 | | | Cy | | |
| <i>Euphorbia dendroides</i> L. | P | P | P | P | P | P | W | | 1 | | | Si | Si | |
| <i>Euphorbia dracunculoides</i> Lam. subsp. <i>inconspicua</i> (Ball) Maire | P | | | | | | W | 1 | 1 | | | Ba | Ba | |
| <i>Euphorbia fontqueriana</i> Greuter | P | | | | | | ENE | | 1 | | | Ba | | |
| <i>Euphorbia lemesiana</i> Hadjik. Hand, Christodoulou & Frajman | | | | | | P | RE | 1 | 1 | | | Cy | | |
| <i>Euphorbia maresii</i> Knoche subsp. <i>balearica</i> (Willk.) Malag. | P | | | | | | NE | | 1 | | | Ba | Ba | |
| <i>Euphorbia papillaris</i> (Boiss.) Raffaelli & Ricceri | | | | P | | | NE | | 1 | | | Si | | |
| <i>Euphorbia paralias</i> L. | P | P | P | P | P | P | W | 1 | | | | Si, Ba, Cy | Ba, Cy | Cy |
| <i>Euphorbia peplis</i> L. | P | P | P | D | P | P | W | | 1 | | | Co | | |
| <i>Euphorbia squamigera</i> Loisel. | P | | | | | | W | | 1 | | | Ba | | |
| <i>Euphrasia nana</i> (Rouy) Prain | | P | P | | | | IE | | 1 | | | Co | | |
| <i>Ferula arrigonii</i> Bocchieri | | P | P | | | | IE | 1 | 1 | | | Sa, Co | Co, Sa | |
| <i>Ferula cypria</i> Post | | | | | | P | W | 1 | 1 | | | Cy | Cy | |
| <i>Ferulago cypria</i> H. Wolff | | | | | | P | RE | | 1 | | | Cy | | |
| <i>Ferulago nodosa</i> (L.) Boiss. subsp. <i>rigida</i> (Ten.) Troia & Raimondo | | | | P | | | NE | 1 | 1 | | | Si | | |
| <i>Festuca morisiana</i> Parl. subsp. <i>morisiana</i> | | | P | | | | NE | | 1 | | | Sa | | |
| <i>Filago mareotica</i> Delile | | | | | | P | W | 1 | | | | Cy | Cy | |
| <i>Filago petro-ianii</i> Rita & Dittrich | P | | | | | | ENE | | 1 | | | Ba | | |

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | RL | RR | HD | WP | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|--|-------------------------|----|----|----|----|----|-------------------|----|----|----|----|-----------------------------------|---|---------|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | Ex situ | In situ |
| <i>Filago wagenitziana</i> Bergmeier | | | | | P | | ENE | | 1 | | 1 | Cr | | |
| <i>Fraxinus angustifolia</i> Vahl | P | | P | P | | | W | | | | | Si | | |
| <i>Fraxinus angustifolia</i> Vahl subsp. <i>oxycarpa</i> (Willd.) Franco & Rocha Alfonso | | P | P | P | A | A | W | | 1 | | 1 | Sa | | |
| <i>Fraxinus ornus</i> L. | | P | P | P | P | | W | | | | | Si | | |
| <i>Fritillaria persica</i> L. | | | | | | P | W | 1 | | | | Cy | Cy | |
| <i>Galium lucidum</i> All. | P | P | P | P | | | W | | 1 | | | Si | Si | |
| <i>Galium tenuissimum</i> M. Bieb. | | | | | | P | W | 1 | | | | Cy | Cy | |
| <i>Genista aetnensis</i> (Biv.) DC. | | P | P | P | | | IE | 1 | 1 | | 1 | Co, Si, Sa | Co, Sa | |
| <i>Genista aspalathoides</i> Lam. | | | | P | | | W | 1 | 1 | | | Si | | |
| <i>Genista cupanii</i> Guss. | | | | P | | | NE | | 1 | | | Si | Si | |
| <i>Genista demarcoi</i> Brullo, Scelsi & Siracusa | | | | P | | | ENE | 1 | 1 | | | Si | Si | |
| <i>Genista dorycnifolia</i> Font Quer | P | | | | | | NE | 1 | 1 | 1 | | Ba | Ba | |
| <i>Genista ephedroides</i> DC. | | P | P | P | | | W | | 1 | | | Co | | |
| <i>Genista gasparrinii</i> (Guss.) C. Presl | | | | P | | | ENE | 1 | 1 | | | Si | | |
| <i>Genista hirsuta</i> Ten. var. <i>trichoacantha</i> (Font Quer) O. Bolòs & Vigo | P | | | | | | NE | | 1 | | | Ba | | |
| <i>Genista lucida</i> Cambess. | P | | | | | | RE | 1 | 1 | | | Ba | Ba | |
| <i>Genista madoniensis</i> Raimondo | | | | P | | | ENE | 1 | 1 | | | Si | | |
| <i>Genista monspessulana</i> (L.) L.A.S.Johnson | P | P | P | | | | W | 1 | 1 | | | Ba | | |
| <i>Genista tricuspida</i> Desf. | P | | | | | | W | | 1 | | | Ba | | |
| <i>Genista tyrrhena</i> Vals. subsp. <i>pontiana</i> Brullo & De Marco | | P | | | | | IE | | 1 | | | Co | Co | |
| <i>Genista tyrrhena</i> Vals. subsp. <i>tyrrhena</i> | | | | P | | | NE | | 1 | | | Si | | |
| <i>Genista valdes-bermejoi</i> Talavera & L. Sáez | P | | | | | | NE | | 1 | | | Ba | | |
| <i>Gentiana lutea</i> L. subsp. <i>lutea</i> | | P | P | | | | W | | 1 | 1 | | Sa | | Sa |
| <i>Geum urbanum</i> L. | | P | P | P | | P | W | 1 | | | | Cy | Cy | |
| <i>Globularia alypum</i> L. | P | P | P | P | P | | W | | 1 | | | Sa, Ba | Sa | |
| <i>Globularia bisnagarica</i> L. | | P | | | | | W | | 1 | | | Co | Co | |
| <i>Gundelia tournefortii</i> L. | | | | | | P | RE | 1 | | | | Cy | Cy | |
| <i>Halimione portulacoides</i> (L.) Aellen | P | P | P | P | P | | W | | | 1 | 1 | Si | Si | |
| <i>Halopeplis amplexicaulis</i> (Vahl) Ces., Pass. & Gibelli | | | P | P | | P | W | | 1 | | 1 | Sa | Sa | |
| <i>Haplophyllum buxbaumii</i> (Poir.) G. Don | | | | | | P | W | 1 | | | | Cy | Cy | |
| <i>Hedysarum cypricum</i> Boiss. | | | | | | P | RE | 1 | 1 | | | Cy | Cy | |
| <i>Helianthemum apeninum</i> (L.) Mill. | P | | | | | | W | | 1 | | | Ba | | |

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | RL | RR | HD | WP | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|---|-------------------------|----|----|----|----|----|-------------------|----|----|----|----|-----------------------------------|---|----------------|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | <i>Ex situ</i> | <i>In situ</i> |
| <i>Helianthemum caput-felis</i> Boiss. | P | | P | | | | W | 1 | 1 | 1 | | Ba, Sa | Ba, Sa | |
| <i>Helianthemum marifolium</i> (L.) Mill. subsp. <i>origanifolium</i> (Lam.) G.López | P | | | | | | IE | | 1 | | | Ba | Ba | |
| <i>Helianthemum nummularium</i> (L.) Mill. | P | P | P | P | P | | W | | 1 | 1 | | Si | Si | |
| <i>Helianthemum sanguineum</i> (Lag.) Dunal | | | | D | D | P | W | 1 | | | | Cy | | |
| <i>Helianthemum scopulicolum</i> L. Sáez, Rossello & Alomar | P | | | | | | ENE | 1 | 1 | | | Ba | | |
| <i>Helianthemum sicanorum</i> Brullo, Giusso & Sciandrello | | | | P | | | ENE | 1 | 1 | | | Si | | |
| <i>Helichrysum archimedeum</i> C. Brullo & Brullo | | | | P | | | NE | 1 | 1 | | | Si | | |
| <i>Helichrysum doerfleri</i> Rech. f. | | | | | P | | NE | 1 | 1 | | | Cr | Cr | |
| <i>Helichrysum errerae</i> Tineo | | | | P | | | NE | 1 | 1 | | | Si | | |
| <i>Helichrysum heldreichii</i> Boiss. | | | | | P | | NE | 1 | 1 | | | Cr | Cr | |
| <i>Helichrysum hyblaicum</i> Brullo | | | | P | | | NE | 1 | 1 | | | Si | | |
| <i>Helichrysum massanellianum</i> Herrando, J.M. Blanco, L. Sáez & Galbany | P | | | | | | IE | | 1 | | | Ba | Ba | |
| <i>Helichrysum microphyllum</i> Willd. subsp. <i>tyrrhenicum</i> Bacch, Brullo & Giusso | P | P | P | | | | IE | | 1 | | | Ba, Sa | Sa | |
| <i>Helichrysum montelinasanum</i> Em. Schmid. | | | P | | | | NE | | 1 | | | Sa | | |
| <i>Helichrysum panormitanum</i> Tineo ex Guss. subsp. <i>panormitanum</i> | | | | P | | | NE | | 1 | | | Si | | |
| <i>Helichrysum pendulum</i> (C. Presl) C. Presl | | | | P | | | NE | | 1 | | | Si | Si | |
| <i>Helichrysum saxatile</i> Moris subsp. <i>saxatile</i> | | | P | | | | RE | | 1 | | | Sa | Sa | |
| <i>Helichrysum stoechas</i> (L.) Moench | P | | | P | P | P | W | | 1 | | | Si, Ba | Ba | |
| <i>Helicodiceros muscivorus</i> (L. fil.) Engl. | P | P | P | | | | IE | | 1 | | | Sa, Co | Co | |
| <i>Helictotrichon crassifolium</i> (Font Quer) Röser | P | | | | | | ENE | | 1 | | | Ba | | |
| <i>Helleborus lividus</i> Aiton ex Curtis | P | | | | | | IE | | 1 | | | Ba | Ba | |
| <i>Helleborus lividus</i> Aiton subsp. <i>corsicus</i> (Briq.) P.F.Yeo | | P | P | | | | IE | | 1 | | | Sa | Sa | |
| <i>Hippocrepis conradiae</i> Gamisans & Hugot | | P | | | | | RE | | 1 | | | Co | | |
| <i>Hippocrepis grosii</i> (Pau) Boira, L. Gil & L. Llorens | P | | | | | | NE | 1 | 1 | | | Ba | | |

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | RL | RR | HD | WP | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|---|-------------------------|----|----|----|----|----|-------------------|----|----|----|----|-----------------------------------|---|----------------|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | <i>Ex situ</i> | <i>In situ</i> |
| <i>Holcus lanatus</i> L. | P | P | P | P | P | P | W | | 1 | | | Si | Si | |
| <i>Hormuzakia aggregata</i> (Lehm.) Guşul. | | | | P | | | W | 1 | 1 | | | Si | | |
| <i>Horstrissea dolinicola</i> Greuter, P. Gerstberger & B. Egli | | | | | P | | ENE | 1 | 1 | | | Cr | Cr | Cr |
| <i>Hypocoum pendulum</i> L. | | | | | | P | W | 1 | | | | Cy | Cy | |
| <i>Hypericum aciferum</i> (Greuter) N. Robson | | | | | P | | NE | 1 | 1 | 1 | | Cr | | |
| <i>Hypericum hircinum</i> L. subsp. <i>albimontanum</i> (Greuter) N. Robson. | | | | | P | P | W | 1 | | | | Cy | Cy | |
| <i>Hypericum hircinum</i> L. subsp. <i>cambessedesii</i> (Coss. ex Nyman) Sauvage | P | | | | | D | NE | | 1 | | 1 | Ba | Ba | |
| <i>Hypericum hircinum</i> L. subsp. <i>hircinum</i> | | P | P | | | | IE | | 1 | | 1 | Sa | Sa | |
| <i>Hypericum jovis</i> Greuter | | | | | P | | RE | 1 | 1 | | | Cr | Cr | |
| <i>Hypericum kelleri</i> Bald. | | | | | P | | RE | 1 | 1 | | | Cr | Cr | |
| <i>Hypericum lanuginosum</i> Lam. | | | | | | P | W | 1 | | | | Cy | Cy | |
| <i>Hypericum perforatum</i> L. | P | | P | P | P | P | W | 1 | | | | Cy | Cy | |
| <i>Hypericum scruglii</i> Bacch., Brullo & Salmeri | | | P | | | | NE | | 1 | | 1 | Sa | Sa | |
| <i>Iberis integerrima</i> Moris | | | P | | | | RE | | 1 | | | Sa | | |
| <i>Iberis semperflorens</i> L. | | | | P | | | RE | | 1 | 1 | | Si | Si | |
| <i>Ifloga spicata</i> (Forssk.) Sch. Bip. | | | | | | P | W | 1 | | | | Cy | Cy | |
| <i>Ilex aquifolium</i> L. | P | P | P | P | | | W | 1 | 1 | | | Ba | | |
| <i>Isoetes histrix</i> Bory & Durieu | P | | P | | P | | W | | 1 | | 1 | Ba | | Ba |
| <i>Jacobaea ambigua</i> (Biv.) Pelsér & Veldkamp | | | | P | | | NE | 1 | 1 | | | Si | | |
| <i>Jacobaea candida</i> (C. Presl) B. Nord. & Greuter | | | | P | | | NE | 1 | 1 | | | Si | | |
| <i>Jasione montana</i> L. | | P | P | P | | | W | | 1 | 1 | | Si | Si | |
| <i>Juncus acutus</i> L. | P | P | P | P | P | P | W | | | | 1 | Si | Si | |
| <i>Juncus littoralis</i> C. A. Mey. | | P | | P | P | P | W | | | | 1 | Si | | |
| <i>Juncus maritimus</i> Lam. | P | | P | P | P | P | W | | | | 1 | Si | | |
| <i>Juncus subulatus</i> Forssk. | P | P | P | P | P | P | W | | | | 1 | Si | Si | |
| <i>Juniperus communis</i> L. subsp. <i>hemisphaerica</i> (J. & C. Presl) Arcang. | | | | P | | | W | | 1 | | | Si | Si | |
| <i>Juniperus macrocarpa</i> Sm. | P | P | P | P | P | | W | | 1 | | | Si, Co, Ba | Ba, Co | |
| <i>Juniperus nana</i> Willd. var. <i>corsicana</i> Lebreton, Mossa & Gallet | | P | P | | | | IE | | 1 | | | Sa | Sa | |
| <i>Juniperus turbinata</i> Guss. | P | P | P | P | P | P | W | | 1 | | | Ba, Si | Ba, Si | |
| <i>Jurinea bocconeii</i> (Guss.) Guss. | | | | P | | | NE | | 1 | | | Si | Si | |

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | RL | RR | HD | WP | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|--|-------------------------|----|----|----|----|----|-------------------|----|----|----|----|-----------------------------------|---|----------------|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | <i>Ex situ</i> | <i>In situ</i> |
| Kali basalticum C. Brullo, Brullo, Gaskin, Giusso, Hrusa & Salmeri | | | | P | | | ENE | 1 | 1 | | | Si | | |
| Klasea cretica (Turrill) Holub | | | | | P | | RE | 1 | 1 | | | Cr | | |
| Kosteletzkya pentacarpos (L.) Ledeb. | D | P | | | | | W | 1 | 1 | 1 | 1 | Co | Co | Co |
| Lactuca longidentata Moris | | | P | | | | RE | | 1 | | | Sa | | |
| Lactuca undulata Ledeb. | | | | | | P | RE | 1 | | | | Cy | Cy | |
| Lamyropsis microcephala (Moris) Dittrich & Greuter | | | P | | | | ENE | 1 | 1 | 1 | | Sa | Sa | |
| Laserpitium siculum Sprengel | | | | P | | | NE | | 1 | | | Si | Si | |
| Lathyrus neurolobus Boiss. & Heldr. | | | | | P | | RE | 1 | 1 | | 1 | Cr | Cr | |
| Lathyrus palustris L. | | P | | | | | W | 1 | 1 | | 1 | Co | | |
| Launaea fragilis (Asso) Pau | | | | P | | P | W | | 1 | | | Si | | |
| Laurus nobilis L. | P | P | P | P | P | P | W | | 1 | | 1 | Sa | | |
| Lavatera agrigentina Tineo | | | | P | | | NE | | 1 | | | Si | Si | |
| Lavatera maritima Gouan | P | P | P | P | | | W | | 1 | | | Ba, Sa | Ba, Sa | |
| Lavatera plazzae Atzei | | | P | | | | NE | | 1 | | | Sa | | |
| Lavatera triloba L. subsp. minoricensis (Cambess.) P.Escobar | P | | | | | | ENE | | 1 | | | Ba | | |
| Lavatera triloba L. subsp. pallescens (Moris) Nyman | | | P | | | | NE | 1 | 1 | | | Sa | Sa | |
| Lavatera triloba L. subsp. triloba | | | P | | | | W | | 1 | | | Sa | Sa | |
| Leontice leontopetalum L. subsp. leontopetalum | | | | | P | P | W | 1 | | | | Cr | Cr | |
| Leontodon muelleri (Sch. Bip.) Fiori | | | | P | | | W | 1 | 1 | | 1 | Si | | |
| Leopoldia gussonei Parl. | | | | P | | | NE | 1 | 1 | 1 | | Si | | Si |
| Leucanthemum flosculosum (L.) P. Giraud | | P | P | | | | IE | | 1 | | 1 | Co, Sa | Co, Sa | |
| Leucanthemum paludosum (Poir.) Bonnet & Barratte | P | | | | | | W | 1 | 1 | | 1 | Ba | | |
| Leucojum aestivum L. subsp. pulchellum (Salisb.) Briq. | P | P | P | | | | W | | 1 | | 1 | Co | Co | |
| Ligusticum lucidum Mill. subsp. huteri (Porta) O.Bolòs | P | | | | | | ENE | 1 | 1 | | | Ba | | |
| Lilium candidum L. | | | | | P | | W | 1 | | | | Cr | | |
| Lilium martagon L. | | P | | | | | w | 1 | 1 | | 1 | Co | Co | |
| Limbarda crithmoides (L.) Dumort. | P | P | P | P | P | P | W | | | 1 | 1 | Si | Si | |
| Limoniastrum monopetalum (L.) Boiss. | | P | P | P | P | | W | 1 | 1 | | | Si | Si | |
| Limonium algarvense Erben | P | | | | | | W | | 1 | | | Ba | Ba | |

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | RL | RR | HD | WP | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|--|-------------------------|----|----|----|----|----|-------------------|----|----|----|----|-----------------------------------|---|----------------|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | <i>Ex situ</i> | <i>In situ</i> |
| Limonium antoni-llorensii L.Llorens | P | | | | | | ENE | 1 | 1 | | | Ba | | |
| Limonium avei (De Not.) Brullo & Erben | | | P | P | | P | W | 1 | 1 | | 1 | Sa | Sa | |
| Limonium bonifaciense Arrigoni & Diana | | P | | | | | RE | 1 | 1 | | | Co | | |
| Limonium calliopsium A. Mayer | | | | | P | | NE | 1 | 1 | | | Cr | Cr | |
| Limonium cossonianum Kuntze | P | | | | | | W | | 1 | | | Ba | | |
| Limonium creticum R. Artelari | | | | | P | | RE | 1 | 1 | | | Cr | Cr | Cr |
| Limonium elaphonicum A. Mayer | | | | | P | | NE | 1 | 1 | | | Cr | Cr | Cr |
| Limonium fontqueri (Pau) L.Llorens | P | | | | | | IE | | 1 | | | Ba | Ba | |
| Limonium formenterae L.Llorens | P | | | | | | RE | | 1 | | | Ba | | |
| Limonium girardianum (Guss.) Kuntze subsp. grosii (Llorens) O. Bolòs, Vigo, Masalles & Ninot | P | | | | | | ENE | | 1 | | | Ba | | |
| Limonium hyblaeum Brullo | | | | P | | | NE | 1 | 1 | | | Si | | |
| Limonium lambinonii Erben | | P | | | | | NE | | 1 | | | Co | | |
| Limonium leonardi-llorensii L. Sáez, Carvalho & Rosselló | P | | | | | | ENE | | 1 | | | Ba | | |
| Limonium marisolii L.Llorens | P | | | | | | ENE | | 1 | | | Ba | Ba | |
| Limonium migjornense L. Llorens | P | | | | | | ENE | 1 | 1 | | | Ba | | |
| Limonium minutum (L.) Fourr. | P | | | | | | W | | 1 | | | Ba | | |
| Limonium mucronulatum (H. Lindb.) Greuter & Burdet | | | | | | P | ENE | 1 | 1 | | | Cy | Cy | Cy |
| Limonium narbonense Mill. | P | P | P | P | | P | W | | | 1 | 1 | Si | Si | |
| Limonium optimae Raimondo | | | | P | | | ENE | 1 | 1 | | | Si | | |
| Limonium pachynense Brullo | | | | P | | | ENE | 1 | 1 | | 1 | Si | | |
| Limonium pavonianum Brullo | | | | P | | | ENE | 1 | 1 | | | Si | | |
| Limonium pseudodictyocladum L. Llorens | P | | | | | | ENE | 1 | 1 | | | Ba | Ba | |
| Limonium sougiae Erben & Brullo | | | | | P | | NE | | 1 | | | Cr | Cr | |
| Limonium strictissimum (Salzm.) Arrigoni | | P | P | | | | IE | 1 | 1 | 1 | | Co | Co | |
| Limonium tarcoëse Arrigoni & Diana | | P | | | | | ENE | 1 | 1 | | | Co | | |
| Limonium wiedmannii Erben | P | | | | | | ENE | | 1 | | | Ba | Ba | |
| Linaria aeruginea (Gouan) Cav. subsp. pruinosa (Sennen & Pau) Chater & Valdés | P | | | | | | RE | | 1 | | | Ba | Ba | |

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | RL | RR | HD | WP | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|---|-------------------------|----|----|----|----|----|-------------------|----|----|----|----|-----------------------------------|---|---------|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | Ex situ | In situ |
| <i>Linaria arcusangeli</i> Atzei & Camarda | | | P | | | | RE | | 1 | | | Sa | Sa | |
| <i>Linaria cossoni</i> Barratte | | | P | | | | W | | 1 | | | Sa | Sa | |
| <i>Linaria flava</i> (Poir.) Desf. subsp. <i>sardoa</i> (Sommier) A. Terracc. | | P | P | | | | IE | 1 | 1 | 1 | | Co, Sa | Co | |
| <i>Linaria multicaulis</i> (L.) Miller subsp. <i>aetnensis</i> Giardina & Zizza | | | | P | | | NE | 1 | 1 | | | Si | | |
| <i>Linaria multicaulis</i> (L.) Miller subsp. <i>humilis</i> (Guss.) De Leonardis, Giardina & Zizza | | | | P | | | NE | 1 | 1 | | | Si | | |
| <i>Linaria pedunculata</i> (L.) Chaz | P | | | | | | W | | 1 | | | Ba | | |
| <i>Linum austriacum</i> L. subsp. <i>collinum</i> (Boiss.) Nyman | | | | P | | | W | 1 | 1 | | | Si | | |
| <i>Linum maritimum</i> L. | P | | P | | | P | W | | 1 | | | Ba | | Ba |
| <i>Linum punctatum</i> C. Presl | | | | P | | | NE | 1 | 1 | | | Si | | |
| <i>Linum strictum</i> L. | P | P | P | P | P | P | W | | 1 | | | Si | Si | |
| <i>Liparis loeselii</i> (L.) Rich. | | P | | | | | W | 1 | 1 | 1 | 1 | Co | | |
| <i>Lolium subulatum</i> Vis. | | P | | | P | P | W | 1 | | | | Cr | | |
| <i>Lomelosia crenata</i> (Cirillo) Greuter & Burdet | | | | P | | | W | | 1 | | | Si | Si | |
| <i>Lomelosia cretica</i> (L.) Greuter & Burdet | P | | | P | | | W | | 1 | | | Si | Si | |
| <i>Lonicera pyrenaica</i> L. subsp. <i>majoricensis</i> (Gand.) Gand. | P | | | | | | RE | | 1 | | | Ba | Ba | |
| <i>Lotus cytisoides</i> L. | P | P | P | P | P | P | W | 1 | | | | Cy | Cy | |
| <i>Lotus halophilus</i> Boiss. & Spruner | P | | | | P | P | W | | 1 | | | Ba | | |
| <i>Lythrum borysthenicum</i> (Schrank) Litv. | | P | P | P | P | | W | | | 1 | 1 | Si | Si | |
| <i>Malus crescimannoi</i> Raimondo | | | | P | | | ENE | | 1 | | | Si | Si | |
| <i>Malvella sherardiana</i> (L.) Jaub. & Spach | | | | | | P | W | 1 | | | | Cy | Cy | |
| <i>Mandragora autumnalis</i> Bertol. | | | P | P | P | D | W | | 1 | | | Sa | | |
| <i>Maresia nana</i> (DC.) Batt. var. <i>glabra</i> (Meikle) Christodoulou & Hand | | | | | | P | ENE | 1 | 1 | | | Cy | Cy | Cy |
| <i>Marsilea strigosa</i> Willd. | P | | P | | | | W | | 1 | 1 | 1 | Ba | | |
| <i>Matthiola incana</i> (L.) R.Br. subsp. <i>incana</i> | | P | P | P | P | | W | | 1 | 1 | | Si | Si | |
| <i>Medicago arborea</i> L. subsp. <i>strasseri</i> (Greuter, Matthäs & Risse) Sobr.-Vest. & Ceresuela | | | | | P | | RE | 1 | 1 | | | Cr | Cr | |

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | RL | RR | HD | WP | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|--|-------------------------|----|----|----|----|----|-------------------|----|----|----|----|-----------------------------------|---|----------------|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | <i>Ex situ</i> | <i>In situ</i> |
| <i>Medicago arborea</i> L./ <i>Medicago citrina</i> (Font Quer) Greuter | P | P | P | P | P | | W | | 1 | | | Ba, Sa | Sa | |
| <i>Mercurialis corsica</i> Coss. | | P | P | | | | IE | | 1 | | | Co | | |
| <i>Mespilus germanica</i> L. | | | | P | | | W | | 1 | | | Si | | |
| <i>Micromeria chionistrae</i> Meikle | | | | | | P | RE | | 1 | | | Cy | | |
| <i>Micromeria filiformis</i> (Aiton) Benth. subsp. <i>cordata</i> (Moris) Pignatti | | | P | | | | NE | | 1 | | | Sa | Sa | |
| <i>Micromeria sphaciotica</i> Boiss. & Heldr. ex Benth. | | | | | P | | NE | | 1 | | | Cr | Cr | |
| <i>Minuartia wettsteinii</i> Mattf. | | | | | P | | NE | 1 | 1 | | | Cr | | |
| <i>Moluccella spinosa</i> L. | | | | P | P | | W | 1 | | | | Cr | Cr | |
| <i>Morisia monanthos</i> (Viv.) Asch. | | P | P | | | | IE | | 1 | | 1 | Co | Co | |
| <i>Myosotis solange</i> Greuter & Zaffran | | | | | P | | ENE | 1 | 1 | | | Cr | Cr | |
| <i>Myosurus minimus</i> L. | P | | | | P | P | W | 1 | 1 | | 1 | Ba | Ba | Ba |
| <i>Myrtus communis</i> L. | P | P | P | | P | P | W | | 1 | | | Ba | Ba | |
| <i>Nananthea perpusilla</i> (Loisel.) DC. | | P | P | | | | IE | | 1 | | | Co | | |
| <i>Naufraga balearica</i> Constance & Cannon | P | | | | | | ENE | 1 | 1 | 1 | | Ba | | |
| <i>Nepeta foliosa</i> Moris | | | P | | | | ENE | | 1 | | | Sa | Sa | |
| <i>Nepeta sphaciotica</i> P.H. Davis | | | | | P | | ENE | 1 | 1 | 1 | | Cr | Cr | |
| <i>Nepeta troodi</i> Holmboe | | | | | | P | RE | | 1 | | | Cy | Cy | |
| <i>Nepeta tuberosa</i> L. | | | | P | | | W | 1 | 1 | | | Si | | |
| <i>Nerium oleander</i> L. | P | P | P | P | P | P | W | | 1 | | 1 | Co | Co | |
| <i>Neurada procumbens</i> L. | | | | | | P | W | 1 | | | | Cy | Cy | |
| <i>Nigella cilialis</i> DC. | | | | | | P | NE | 1 | | | | Cy | Cy | |
| <i>Nigella damascena</i> L. | P | P | P | | P | P | W | | | | | Co | Co | |
| <i>Noccaea zaffranii</i> F. K. Mey. | | | | | P | | NE | 1 | 1 | | | Cr | Cr | |
| <i>Ochthodium aegyptiacum</i> (L.) DC. | | | | | | P | W | 1 | | | | Cy | Cy | |
| <i>Odontarrhena nebrodense</i> (Tineo) L.Cecchi & Selvi | | | | P | | | NE | | 1 | | | Si | | |
| <i>Oenanthe lachenalii</i> C.C. Gmel. | P | P | | | | | W | | 1 | | 1 | Ba | | |
| <i>Ononis crispa</i> L. | P | | | | | | IE | | 1 | | | Ba | Ba | Ba |
| <i>Ononis zschackei</i> F. Herm. | P | | | | | | NE | | 1 | | | Ba | Ba | Ba |
| <i>Onosma canescens</i> C. Presl | | | | P | | | NE | 1 | 1 | | | Si | | |
| <i>Onosma gigantea</i> Lam. | | | | | | P | W | 1 | | | | Cy | Cy | |
| <i>Ophioglossum vulgatum</i> L. subsp. <i>vulgatum</i> | | P | P | P | | P | W | | 1 | | 1 | Sa | | Sa |
| <i>Ophrys eleonora</i> Devillers-Tersch. & Devillers | | P | P | | P | P | IE | 1 | 1 | | | Co | | |
| <i>Origanum dictamnus</i> L. | | | | | P | | RE | 1 | 1 | 1 | | Cr | Cr | |

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | | | | | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|---|-------------------------|----|----|----|----|----|-------------------|---|---|---|---|-----------------------------------|---|----|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | RL | RR |
| <i>Origanum onites</i> L. | | | | P | P | | W | | 1 | | | Si | Si | Si |
| <i>Ostrya carpinifolia</i> Scop. | | P | P | P | | | W | | 1 | | 1 | Sa, Si | Sa, Si | |
| <i>Osyris lanceolata</i> Hochst. & Steud. | P | | | | | | W | | 1 | | | Ba | | |
| <i>Otanthus maritimus</i> (L.) Hoffmanns. & Link | P | P | P | | P | P | W | 1 | 1 | | | Ba | Ba | |
| <i>Paeonia cambessedesii</i> (Willk.) Willk. | P | | | | | | IE | | 1 | 1 | | Ba | Ba | |
| <i>Paeonia corsica</i> Sieber ex Tausch | | P | P | | | | IE | | 1 | | | Sa, Co | Co, Sa | |
| <i>Paeonia mascula</i> (L.) Mill. subsp. <i>mascula</i> | | P | | D | | P | W | | 1 | | | Co | Co | |
| <i>Paeonia morisii</i> Cesca, Bernardo & N.G.Passal. | | P | | | | | IE | | 1 | | | Co | Co | |
| <i>Pancratium illyricum</i> L. | | P | P | | | | W | | 1 | | | Sa, Co | Co | |
| <i>Pancratium maritimum</i> L. | P | P | P | | P | P | W | | 1 | | | Ba | Ba | |
| <i>Pastinaca kochii</i> Duby subsp. <i>kochii</i> (Duby) Reduron | | P | P | | | | RE | | 1 | | | Co | | |
| <i>Pastinaca kochii</i> Duby subsp. <i>latifolia</i> (Duby) Reduron | | P | | | | | IE | | 1 | | | Co | Co | |
| <i>Peganum harmala</i> L. | | | P | | P | P | W | 1 | | | | Cy | Cy | Cy |
| <i>Petrorhagia saxifraga</i> (L.) Link subsp. <i>gasparrinii</i> (Guss.) Greuter & Burdet | | P | | P | | | W | 1 | 1 | | | Si | | |
| <i>Peucedanum paniculatum</i> Loisel. | | P | | | | | RE | | 1 | | | Co | Co | |
| <i>Phagnalon rupestre</i> (L.) DC. | | | P | P | P | P | W | | 1 | | | Si | Si | |
| <i>Phillyrea latifolia</i> L. | P | P | P | P | P | P | W | 1 | | | | Cy | | |
| <i>Phillyrea media</i> L. var. <i>rodriguezii</i> P. Monts | P | P | P | | | | W | | 1 | | | Sa | | |
| <i>Phleum sardoum</i> (Hackel) Hackel in Franchet | | | P | | | | NE | 1 | 1 | | | Sa | | |
| <i>Phlomis fruticosa</i> L. | | | A | P | P | D | W | | 1 | | | Si | Si | |
| <i>Phoenix theophrasti</i> Greuter | | | | | P | | W | 1 | | 1 | 1 | Cr | Cr | |
| <i>Pimpinella bicknellii</i> Briq. | P | | | | | | RE | | 1 | | | Ba | Ba | |
| <i>Pimpinella cypria</i> Boiss. | | | | | | P | RE | | 1 | | | Cy | Cy | |
| <i>Pimpinella lutea</i> Desf. | | P | P | P | | | W | | 1 | | | Co | Co | |
| <i>Pinguicula corsica</i> Bernard & Gren. | | P | | | | | RE | | 1 | | 1 | Co | | |
| <i>Pinguicula crystallina</i> Sm. | | | | | | P | W | 1 | | 1 | | Cy | Cy | |
| <i>Pinguicula sehuensis</i> Bacch., Cannas & Peruzzi | | | P | | | | ENE | | 1 | | | Sa | Sa | |
| <i>Pinus halepensis</i> Mill. | P | | P | | | | W | | 1 | | | Ba | | |
| <i>Pistacia lentiscus</i> L. | P | P | P | P | P | P | W | | 1 | 1 | | Si | Si | |
| <i>Pistacia terebinthus</i> L. subsp. <i>terebinthus</i> | P | | P | P | P | P | W | 1 | 1 | 1 | | Sa, Si, Ba | Sa, Si | |
| <i>Pisum fulvum</i> Sm. | | | | | | P | RE | | 1 | | | Cy | Cy | |

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | RL | RR | HD | WP | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|--|-------------------------|----|----|----|----|----|-------------------|----|----|----|----|-----------------------------------|---|----------------|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | <i>Ex situ</i> | <i>In situ</i> |
| Plagius flosculosus (L.) Alavi & Heywood | | P | P | | | | IE | | 1 | | | | Co, Sa | Co, Sa |
| Plantago cupanii Guss. | | | | P | | | RE | | 1 | | | Si | Si | |
| Platanus orientalis L. | | | | P | P | P | W | | 1 | | 1 | Si | Si | |
| Polygala vulgaris L. | P | P | P | | | | W | | 1 | | | Ba | | |
| Polygonum equisetiforme Sm. | P | | | | P | P | W | 1 | 1 | | | Ba | | |
| Polygonum idaeum Hayek | | | | | P | | IE | 1 | 1 | | | Cr | Cr | |
| Potentilla calabra Ten. | | | | P | | | RE | | 1 | | | Si | Si | |
| Potentilla recta L. | | P | P | P | | P | W | 1 | | | | Cy | Cy | |
| Primula acaulis (L.) L. subsp. balearica (Willk.) Greuter & Burdet | P | | | | | | RE | | 1 | | | Ba | Ba | |
| Primula vulgaris Huds. subsp. balearica (Willk.) W. W. Sm. & Forrest | P | | | | | | RE | | 1 | | | Ba | Ba | |
| Prospero depressum Speta | | | | | P | | ENE | | 1 | | | Cr | Cr | |
| Prospero idaeum Speta | | | | | P | | ENE | | 1 | | | Cr | Cr | |
| Prospero minimum Speta | | | | | P | | ENE | | 1 | | | Cr | Cr | |
| Prospero rhadamanthi Speta | | | | | P | | ENE | | 1 | | | Cr | Cr | |
| Ptilostemon casabonae (L.) Greuter | | P | P | | | | IE | | 1 | | | Sa | Sa | |
| Ptilostemon greuteri Raimondo & Domina | | | | P | | | ENE | 1 | 1 | | | Si | | |
| Ptilostemon niveus (C. Presl) Greuter | | | | P | | | W | 1 | 1 | | | Si | Si | |
| Ptychotis sardoa Pignatti & Metlesics | | | P | | | | NE | | 1 | | | Sa | Sa | |
| Putoria calabrica (L.fil.) Pers. | | | | P | P | | W | 1 | 1 | | | Si | | |
| Pyraeantha coccinea M. Roem. | | A | P | | P | | W | | 1 | | | Sa | | |
| Pyrus castribonensis Raimondo, Schicchi & Mazzola | | | | P | | | ENE | | 1 | | | Si | Si | |
| Pyrus ciancioi P. Marino, G. Castellano, Raimondo & Spadaro | | | | P | | | ENE | 1 | 1 | | | Si | Si | |
| Pyrus sicanorum Raimondo, Schicchi & Marino | | | | P | | | NE | | 1 | | | Si | Si | |
| Pyrus vallis-demonis Raimondo & Schicchi | | | | P | | | ENE | 1 | 1 | | | Si | Si | |
| Ranunculus auricomus L. | | P | | | | | ENE | 1 | 1 | | 1 | Co | | |
| Ranunculus bullatus L. | P | P | P | | P | | W | 1 | 1 | | | Ba | Ba | Ba |
| Ranunculus elisae Gamisans | | P | | | | | NE | | 1 | | | Co | Co | |
| Ranunculus lateriflorus DC. | | | P | P | P | | W | | 1 | | | Si | | |
| Ranunculus millefolius Banks & Sol. | | | | | | P | RE | 1 | | | | Cy | | |
| Ranunculus rumelicus Griseb. | | | | | P | P | IE | 1 | | | | Cy | Cy | |
| Ranunculus sylviae Gamisans | | P | | | | | ENE | 1 | 1 | | 1 | Co | Co | Co |

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | RL | RR | HD | WP | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|---|-------------------------|----|----|----|----|----|-------------------|----|----|----|----|-----------------------------------|---|---------|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | Ex situ | In situ |
| Ranunculus veronicae N. Böhling | | | | | P | | ENE | 1 | 1 | | | Cr | Cr | |
| Ranunculus weyeri Marès ex Willk. | P | | | | | | NE | | 1 | 1 | | Ba | Ba | |
| Reseda minoica Martín-Bravo & Jiménez-Mejías | | | | | P | P | IE | 1 | | | | Cr | Cr | Cr |
| Retama raetam (Forrskal) Webb subsp. gussonei (Webb) Greuter | | | | P | | | NE | 1 | 1 | | | Si | | |
| Rhamnus alaternus L. | P | P | P | | P | P | W | | 1 | | | Si, Ba | Ba, Si | |
| Rhamnus alpina L. subsp. alpina | | P | P | | | | W | | 1 | | | Sa | Sa | |
| Rhamnus ludovici-salvatoris Chodat | P | | | | | | IE | | 1 | | | Ba | Ba | |
| Rhamnus persicifolia Moris | | | P | | | | RE | | 1 | | 1 | Sa | Sa | Sa |
| Rhus tripartita (Ucria) Grande | | | | P | | | W | | 1 | | | Si | Si | |
| Ribes multiflorum Kit. ex Roem. & Schult. subsp. sandalioticum Arrigoni | | | P | | | | RE | 1 | 1 | | | Sa | | Sa |
| Ribes sardoum Martelli | | | P | | | | ENE | 1 | 1 | 1 | | Sa | Sa | Sa |
| Romulea ligustica Parl. | | P | P | | | | IE | 1 | 1 | | | Co | Co | |
| Rosa micrantha Borrer ex Sm. subsp. chionistrae (H. Lindb.) H. Reichert & Hand | | | | | P | P | RE | | 1 | | | Cy | | |
| Rosa serafinii Viv. | | P | P | | | | W | | 1 | | | Sa | Sa | |
| Rosa sicula Tratt. | | | | P | | | W | | 1 | | | Si | Si | |
| Rosa squarrosa (A. Rau) Boreau | P | | | | | | W | 1 | 1 | | | Ba | | |
| Rouya polygama (Desf.) Coincy | | P | P | | | | W | | 1 | 1 | | Sa, Co | Co | |
| Rubia balearica (Willk.) Porta subsp. caespitosa (Font Quer & Marcos) Rosselló, L. Sáez & Mus | P | | | | | | ENE | 1 | 1 | | | Ba | | |
| Rumex aetnensis C. Presl | | | | P | | | NE | | 1 | | | Si | Si | |
| Rumex scutatus L. subsp. glaucescens (Guss.) Brullo, Scelsi & Spampinato | | | P | P | | | W | | 1 | | | Sa | Sa | |
| Ruscus aculeatus L. | P | P | P | | P | P | W | | 1 | | | Ba | Ba | |
| Ruta corsica DC. | | P | | | | | RE | | 1 | | | Co | | |
| Ruta lamarmorae Bacch., Brullo & Giusso del Galdo | | | P | | | | NE | | 1 | | | Sa | Sa | |
| Salix pedicellata Desf. | | P | P | P | | | W | | 1 | | 1 | Si | Si | |
| Salsola oppositifolia Desf. | | | | P | P | | W | | 1 | | | Si | Si | |
| Salsola soda L. | P | P | P | | | P | W | 1 | 1 | | | Ba | Ba | |
| Salvia fruticosa Mill. | | | | P | P | P | W | 1 | 1 | | | Si | | |
| Salvia hierosolymitana Boiss. | | | | | | P | W | 1 | | | | Cy | Cy | |
| Salvia veneris Hedge | | | | | | P | RE | 1 | | 1 | | Cy | Cy | |

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | RL | RR | HD | WP | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|---|-------------------------|----|----|----|----|----|-------------------|----|----|----|----|-----------------------------------|---|---------|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | Ex situ | In situ |
| <i>Sambucus ebulus</i> L. | P | P | P | P | P | A | W | | 1 | | | Sa | | |
| <i>Sambucus nigra</i> L. | P | P | P | P | A | A | W | | 1 | | 1 | Si, Sa | Sa, Si | |
| <i>Santolina corsica</i> Jord. & Fourr. | | P | P | | | | IE | | 1 | | | Co, Sa | Co, Sa | |
| <i>Santolina insularis</i> (Gennari & Fiori) Arrigoni | | | P | | | | RE | | 1 | | | Sa | Sa | |
| <i>Santolina magonica</i> Romo | P | | | | | | W | | 1 | | | Ba | | |
| <i>Saponaria cypria</i> Boiss. | | | | | | P | RE | | 1 | | | Cy | Cy | |
| <i>Saponaria mesogitana</i> Boiss. | | | | | | P | RE | 1 | | | | Cy | | |
| <i>Saponaria ocymoides</i> L. | | P | P | | | | IE | | 1 | | | Co | | |
| <i>Saponaria orientalis</i> L. | | | | | | P | W | 1 | | | | Cy | Cy | |
| <i>Saponaria sicula</i> Raf. | | | P | P | | | W | 1 | 1 | | | Si | Si | |
| <i>Sarcopoterium spinosum</i> (L.) Spach. | | | P | P | P | P | W | | 1 | | | Sa, Si | Sa, Si | |
| <i>Satureja thymbra</i> L. | | | P | | P | P | W | | 1 | | | Sa, Cy | Sa, Cy | |
| <i>Saxifraga corsica</i> (Ser.) Gren. & Godr. subsp. <i>cossoniana</i> (Boiss. & Reut.) D.A. Webb | P | | | | | | IE | | 1 | | | Ba | | |
| <i>Scandix stellata</i> Banks & Sol. | | | | | | P | W | 1 | | | | Cy | | |
| <i>Schoenus nigricans</i> L. | P | P | P | P | P | P | W | | | | 1 | Si | | |
| <i>Scilla lochia</i> (Meikle) Speta | | | | | | P | RE | 1 | 1 | 1 | | Cy | Cy | |
| <i>Scilla morrisii</i> Meikle | | | | | | P | RE | 1 | 1 | | | Cy | | |
| <i>Scirpoides holoschoenus</i> (L.) Soják subsp. <i>australis</i> (Murray) Soják | P | P | P | P | P | | W | | | | 1 | Si | | |
| <i>Scleranthus annuus</i> L. subsp. <i>verticillatus</i> (Tausch) Arcang. | P | | | | P | P | W | | 1 | | | Ba | | |
| <i>Scorzonera mollis</i> M. Bieb. subsp. <i>idaea</i> (Gand.) Lack | | | | | P | | RE | 1 | 1 | | | Cr | | |
| <i>Scutellaria columnae</i> All. | | P | | D | | | W | 1 | 1 | | | Co | | |
| <i>Secale strictum</i> (C. Presl) C. Presl | | | | P | | | W | | 1 | 1 | | Si | Si | |
| <i>Securigera cretica</i> (L.) Lassen | | | | | P | P | IE | 1 | | | | Cy | Cy | |
| <i>Sedum gypsicola</i> Boiss & Reuter subsp. <i>trinacriae</i> Afferni | | | | P | | | NE | 1 | 1 | | | Si | | |
| <i>Senecio aethnensis</i> Jan ex DC. | | | | P | | | NE | 1 | 1 | | | Si | | |
| <i>Senecio cineraria</i> DC. subsp. <i>bicolor</i> (Willd.) Arcang. | | P | | P | | | W | 1 | 1 | | | Si | | |
| <i>Senecio glaber</i> Ucria | | | | P | | | NE | 1 | 1 | | | Si | | |
| <i>Senecio glaucus</i> L. subsp. <i>cyrius</i> Meikle | | | | | | P | RE | | 1 | | | Cy | Cy | |
| <i>Senecio morisii</i> J. Calvo & Bacch. | | | P | | | | NE | | 1 | | 1 | Sa | Sa | Sa |
| <i>Senecio siculus</i> All. | | | | P | | | NE | 1 | 1 | | | Si | | |
| <i>Seseli djianeae</i> Gamisans | | P | | | | | RE | | 1 | | | Co | | |

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | RL | RR | HD | WP | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|--|-------------------------|----|----|----|----|----|-------------------|----|----|----|----|-----------------------------------|---|----------------|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | <i>Ex situ</i> | <i>In situ</i> |
| Seseli praecox (Gamisans) Gamisans | | P | P | | | | IE | | 1 | | | Sa, Co | Co, Sa | |
| Sesleria doerfleri Hayek | | | | | P | | IE | 1 | 1 | | | Cr | Cr | |
| Sesleria insularis Sommier subsp. barbaricina Arrigoni | | | P | | | | NE | | 1 | | | Sa | Sa | |
| Sesleria insularis Sommier subsp. morisiana Arrigoni | | | P | | | | NE | | 1 | | | Sa | Sa | |
| Sesleria nitida Ten. subsp. sicula Brullo & Giusso | | | | P | | | NE | 1 | 1 | | | Si | | |
| Sibthorpia europaea L. | | | | | P | | W | 1 | | | 1 | Cr | Cr | |
| Siculosciadium nebrodense (Guss.) Brullo C., Brullo, Downie & Giusso | | | | P | | | ENE | 1 | 1 | | | Si | | |
| Sideritis cypria Post | | | | | | P | RE | 1 | | 1 | | Cy | Cy | |
| Sideritis sicula Ucria | | | | P | | | NE | 1 | 1 | | | Si | | |
| Silene ammophila Boiss. & Heldr. subsp. ammophila | | | | | P | | NE | 1 | | | | Cr | Cr | |
| Silene cambessedesii Boiss. & Reut. | P | | | | | | W | | 1 | | | Ba | | |
| Silene coelirosa (L.) Godr. | | P | P | D | | | W | | 1 | | | Co | | |
| Silene dichotoma Ehrh. | | A | | | P | P | IE | 1 | | | | Cy | | |
| Silene dichotoma Ehrh. subsp. racemosa (Otth) Hayek | | | | | P | P | W | | 1 | | | Cy | Cy | |
| Silene fruticosa L. | | | | P | P | P | RE | | 1 | 1 | | Si | Si | |
| Silene galataea Boiss. | | | | | | P | RE | | 1 | | | Cy | Cy | |
| Silene hicesiae Brullo & Signorello | | | | P | | | ENE | 1 | 1 | 1 | | Si | Si | |
| Silene hifacensis Rouy ex Willk. | P | | | | | | W | | 1 | 1 | | Ba | | |
| Silene holzmannii Heldr. ex Boiss. | | | | | P | | IE | 1 | | 1 | | Cr | | |
| Silene ichnusae Brullo, De Marco & De Marco fil. | | | P | | | | ENE | | 1 | | | Sa | Sa | |
| Silene italica (L.) Pers. subsp. sicula (Ucria) Jeanm. | | | | P | | | W | | 1 | | | Si | Si | |
| Silene kemoniana C. Brullo, Brullo, Giusso, Ilardi & Sciandr. | | | | P | | | ENE | 1 | 1 | | | Si | | |
| Silene nodulosa Viv. | | P | P | | | | IE | | 1 | | | Sa | Sa | |
| Silene peloritana C. Brullo, Brullo, Giusso, Miniss. & Sciandr. | | | | P | | | ENE | 1 | 1 | | | Si | | |
| Silene pseudoatocion Desf. | P | | | | | | W | | 1 | | | Ba | | |
| Silene sericea All. | P | P | D | | | | W | | 1 | | | Ba | Ba | |
| Silene succulenta Forssk. | | | | | P | | W | 1 | | | | Cr | Cr | |
| Silene velutina Loisel. | | P | P | | | | IE | 1 | 1 | 1 | | Co, Sa | Co, Sa | Co |
| Sisymbrella dentata (L.) O.E.Schulz | | | | P | | | ENE | 1 | 1 | | 1 | Si | | |

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | RL | RR | HD | WP | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|--|-------------------------|----|----|----|----|----|-------------------|----|----|----|----|-----------------------------------|---|----------------|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | <i>Ex situ</i> | <i>In situ</i> |
| <i>Smilax aspera</i> L. | P | P | P | P | P | P | W | | 1 | | | Si | Si | |
| <i>Soleirolia soleirolii</i> (Req.) Dandy | P | P | P | | | | W | | 1 | | | Ba | Ba | |
| <i>Solenopsis antiphonitis</i> Hadj. & Hand | | | | | | P | ENE | 1 | | | | Cy | Cy | |
| <i>Sorbus aria</i> (L.) Crantz subsp. <i>aria</i> | P | P | P | P | | | W | | 1 | | | Sa, Si | Si | |
| <i>Sorbus torminalis</i> (L.) Crantz | | P | P | P | | | W | | 1 | | | Si | | |
| <i>Stachys arenaria</i> Vahl | | | | P | | | W | 1 | 1 | | | Si | | |
| <i>Stachys maritima</i> Gouan | | P | | | | | W | | 1 | | | Co | Co | |
| <i>Stipa gussonei</i> Moraldo | | | | P | | | ENE | 1 | 1 | | | Si | | |
| <i>Stipa sicula</i> Moraldo, Caputo, La Valva & Ricciardi | | | | P | | | NE | 1 | 1 | | | Si | | |
| <i>Stipa valdemonensis</i> Cataldo, S.A. Giardina, Moraldo & Raimondo | | | | P | | | ENE | 1 | 1 | | | Si | | |
| <i>Stipagrostis lanata</i> (Forssk.) de Winter | | | | | | P | W | 1 | | | | Cy | Cy | |
| <i>Tamarix minoa</i> J. L. Villar, Turland, Juan, Gaskin, M. A. Alonso & M. B. Crespo | | | | | P | | ENE | | 1 | | | Cr | Cr | |
| <i>Tanacetum audibertii</i> (Req.) DC. | | P | P | | | | IE | | 1 | | | Sa | Sa | |
| <i>Tanacetum siculum</i> (Guss.) Strobl | | | | P | | | NE | 1 | 1 | | | Si | | |
| <i>Taxus baccata</i> L. | P | P | P | | | | W | 1 | 1 | | | Ba | | |
| <i>Teesdalia coronopifolia</i> (Bergeret) Thell. | | P | P | P | P | P | W | 1 | | | | Cy | | |
| <i>Telephium imperati</i> L. subsp. <i>orientale</i> (Boiss.) Nyman | | | | | | P | W | | 1 | | | Cy | Cy | |
| <i>Teucrium asiaticum</i> L. | P | | | | | | IE | | 1 | | | Ba | Ba | |
| <i>Teucrium balearicum</i> (Pau) Castrov. & Bayon | P | | | | | | IE | | 1 | | | Ba | Ba | |
| <i>Teucrium campanulatum</i> L. | P | | | P | | | W | 1 | 1 | | 1 | Si, Ba | | |
| <i>Teucrium capitatum</i> L. subsp. <i>majoricum</i> (Rouy) T. Navarro & Rosúa | P | | | | | | IE | | 1 | | | Ba | Ba | |
| <i>Teucrium cossonii</i> D.Wood subsp. <i>punicum</i> Mayol, Mus, Rosselló & N. Torres | P | | | | | | RE | 1 | 1 | | | Ba | | |
| <i>Teucrium cuneifolium</i> Sm. | | | | | P | | RE | 1 | 1 | | | Cr | Cr | |
| <i>Teucrium fruticans</i> L. | | P | A | D | | | W | 1 | 1 | | | Co | Co | |
| <i>Teucrium siculum</i> (Raf.) Guss. | | | | P | | | W | | 1 | | | Si | | |
| <i>Teucrium subspinosum</i> Pourr. ex Willd. | P | | P | | | | IE | | 1 | | | Ba | | |

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | RL | RR | HD | WP | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|--|-------------------------|----|----|----|----|----|-------------------|----|----|----|----|-----------------------------------|---|----------------|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | <i>Ex situ</i> | <i>In situ</i> |
| <i>Thapsia garganica</i> L. subsp. <i>messanensis</i> (Guss.) Brullo, Guglielmo, Pasta, Pavone & Salmeri | | | | P | | | ENE | 1 | 1 | | | Si | | |
| <i>Thapsia pelagica</i> Brullo, Guglielmo, Pasta, Pavone & Salmeri | | | | P | | | ENE | 1 | 1 | | | Si | | |
| <i>Thymbra calostachya</i> (Rech. f.) Rech. f. | | | | | P | | NE | 1 | 1 | | | Cr | Cr | |
| <i>Thymus herba-barona</i> Loisel. subsp. <i>herba-barona</i> | P | P | P | | | | IE | | 1 | | | Sa, Ba | Sa | |
| <i>Thymus richardii</i> Pers. subsp. <i>ebusitanus</i> (Font Quer) Jalas | P | | | | | | RE | | 1 | | | Ba | | |
| <i>Thymus richardii</i> Pers. subsp. <i>richardii</i> | P | | | | | | RE | | 1 | | | Ba | | |
| <i>Trachelium lanceolatum</i> Guss. | | | | P | | | NE | 1 | 1 | | | Si | Si | |
| <i>Tricholaena teneriffae</i> (L. fil.) Link | | | | P | | | W | 1 | 1 | | | Si | | |
| <i>Trifolium savianum</i> Guss. | | | | P | | | ENE | 1 | 1 | | | Si | | |
| <i>Trigonella maritima</i> Poir. | | | | P | | | W | | 1 | | | Si | | |
| <i>Triplachne nitens</i> (Guss.) Link | P | | | P | P | P | W | 1 | | | | Cy | Cy | |
| <i>Tripolium pannonicum</i> (Jacq.) Dobrocz. | P | P | P | P | P | | W | | 1 | | 1 | Si, Ba | Si | Si |
| <i>Tripolium sorrentinoi</i> (Tod.) Raimondo & Greuter | | | | P | | | NE | 1 | 1 | 1 | | Si | | |
| <i>Tuberaria macrosepala</i> (Coss.) Willk. | P | | | | | | W | 1 | 1 | | | Ba | | |
| <i>Tulipa cypria</i> Stapf | | | | | | P | RE | 1 | 1 | 1 | | Cy | Cy | |
| <i>Umbilicus horizontalis</i> (Guss.) DC. | P | P | P | P | P | P | W | | 1 | | | Si | Si | |
| <i>Urtica atrovirens</i> Req. ex Loisel. | P | P | P | | | | IE | 1 | 1 | | | Ba | | |
| <i>Urtica bianorii</i> (Knoche) Paiva | P | | | | | | RE | | 1 | | | Ba | Ba | |
| <i>Urtica rupestris</i> Guss. | | | | P | | | NE | 1 | 1 | | | Si | Si | Si |
| <i>Valerianella tricerias</i> Bornm. | | | | | | P | RE | 1 | | | | Cy | | |
| <i>Verbascum blattaria</i> L. | P | P | P | | | P | W | | 1 | | | Ba | | |
| <i>Verbascum boerhavii</i> Friv. ex Nyman | P | P | P | | | | W | | 1 | | | Ba | | |
| <i>Verbascum conocarpum</i> Moris subsp. <i>conocarpum</i> | | P | P | | | | W | | 1 | | | Sa | Sa | |
| <i>Verbascum plantagineum</i> Moris | | | P | | | | RE | | 1 | | | Sa | Sa | |
| <i>Verbena supina</i> L. | P | | P | | P | P | W | | 1 | | | Ba | | |
| <i>Viburnum tinus</i> L. | P | | P | | D | P | W | 1 | 1 | | | Ba, Cy | Ba, Cy | |
| <i>Vicia filicaulis</i> Webb & Berthel. | P | | | | | | ENE | 1 | 1 | 1 | | Ba | | |
| <i>Vicia leucantha</i> Biv. | P | | P | | | | W | | 1 | | | Ba | | |
| <i>Vincetoxicum creticum</i> Browicz | | | | | P | | NE | 1 | 1 | | | Cr | | |

| Taxon (local checklists) | Island(s) of occurrence | | | | | | Distribution type | RL | RR | HD | WP | Island(s) where taxon prioritised | Island(s) where conservation action(s) were implemented | |
|---|-------------------------|----|----|----|----|----|-------------------|----|----|----|----|-----------------------------------|---|----------------|
| | Ba | Co | Sa | Si | Cr | Cy | | | | | | | <i>Ex situ</i> | <i>In situ</i> |
| <i>Viola aethnensis</i> (DC.) Strobl | | | | P | | | NE | 1 | 1 | | | Si | | |
| <i>Viola corsica</i> Nyman | | P | P | | | | RE | | 1 | | | Co | Co | |
| <i>Viola jaubertiana</i> Marès & Vigin. | P | | | | | | NE | 1 | | 1 | | Ba | Ba | |
| <i>Viola scorpiuroides</i> Coss. | | | | | P | | W | 1 | | | | Cr | Cr | Cr |
| <i>Vitex agnus-castus</i> L. | P | P | P | P | P | P | W | | 1 | | 1 | Ba, Sa, Si | Ba, Sa | |
| <i>Woodwardia radicans</i> (L.) Sm. | | P | | D | P | | W | 1 | 1 | 1 | | Co | | |

Project partners

- Mediterranean Plant Specialist Group – IUCN/SSC
- Sóller Botanical Garden Foundation, Balearic Islands
- Office of the Environment of Corsica – Conservatoire Botanique National de Corse
- Hortus Botanicus Karalitanus – University of Cagliari, Sardinia
- Department of Biological, Geological and Environmental Sciences, University of Catania, Sicily
- CIHEAM Mediterranean Agronomic Institute of Chania, Crete (Lead Partner)
- Agricultural Research Institute, Cyprus
- Department of Forests, Cyprus

CARE-MEDIFLORA was funded (80 %) by the MAVA Foundation.

